Clarity, Phosphorus and Calcium Testing

McKellar Township*

Posted December 9 2025

*Sites tested were: the lakes currently being monitored for E.coli, sites chosen for the Lake Capacity study of 2021, and current sites for testing for the Ontario Government's Lake Partner Program in McKellar Township.



Lake Partner Program data can be found at https://data.ontario.ca/dataset/ontario-lake-partner

This data has been collected by MLCA since May 2023. Earlier years can be found on the DataStream web page at the DOI link:

https://doi.org/10.25976/168q-zm19. Unlike so many other links on the internet, this one is assured to never break, and will always resolve back to this dataset.

This documentation page explains how to find and explore the "McKellar Lakes" data page (the graph and the map) on the Great Lakes DataStream.

Glossary of Water Quality Terms

Alkalinity Indicator of how resistant water is to changes in pH. Low alkalinity levels lead to larger swings in pH whereas higher alkalinity helps to ensure more stable pH over time.

Bacteria Levels Indicators of water safety, especially for drinking water and recreational activities like swimming. Specific bacteria like *E. coli* and groups of bacteria such as "coliforms" are monitored because these best indicate potential harm to humans.

Chloride Important for tracking potential road salt-related impacts on freshwater life. Elevated chloride levels can be toxic to aquatic organisms.

Calcium is related to impacts of acid rain (now dramatically reduced), removal of vegetation and especially deforestation, and climate change. Calcium is declining in many lakes and is important as a building block for many aquatic organisms. Decreasing calcium harms certain species.

Dissolved Organic Carbon (DOC) is a measure of the "tea-stain" in lakes. DOC affects nutrient interactions and sunlight penetration into water.

Dissolved Oxygen (DO) Essential for fish and other aquatic creatures to survive. Dissolved oxygen is sensitive to water temperature and can drop dramatically following algae blooms. Dissolved oxygen levels impact the health of the lake's ecosystem.

Electrical Conductivity is a simple and cost-effective indicator of water hardness and the levels of ions (salts) present.

Emerging Contaminants are newer, synthetic substances that are more recently considered concerning for aquatic health and for which there is less scientific understanding. Examples include microplastics, medications and "forever chemicals" such as perfluorinated organic compounds. Monitoring them helps track potential environmental risks in lakes.

Metals have varied roles in lakes - some can harm aquatic life (most heavy metals, such as lead and mercury), while others, such as calcium, are essential nutrients. Monitoring metals helps understand their impact on water health. Fireworks contribute to contamination by heavy metals.

pH A measure of how acidic or alkaline water is. Ranges from 0 to 14, with 0-6 being acidic, 8+ being alkaline and 7 being neutral. pH levels are an important water quality parameter than can affect lake issues ranging from shell development in invertebrates to heavy metal solubility.


Phosphorus A vital nutrient that, when concentrations are high, can trigger algae growth, leading to diminished water clarity and potentially harmful effects on aquatic life. Monitoring phosphorus levels is crucial to maintaining a healthy lake environment.

Phytoplankton are free-floating, microscopic algae that, like plants, grow via sunlight. They're essential for a healthy ecosystem because they are a food source at the base of lake food webs.

Turbidity is an indicator of the cloudiness of water, which is usually related to suspended particles. Higher turbidity often indicates lower-quality water.

Water Clarity reflects how clear the water is. Monitoring lake clarity is an easy and inexpensive way to help indicate potential issues impacting a lake's health. Water clarity is measured in meters, using Secchi disks, which are lowered into the water until no longer visible.

Water Temperature influences the amount of dissolved oxygen, which aquatic life breathe in lake water, with colder water able to retain more oxygen than warmer water. Changes in temperature due to climate shifts can affect the types of life in the lake.



A Armstrong Lake

<mark>Armst</mark> ı	ong Lake, M																				
e	Date				Total Phos			DO %	DO mg/L	-	C μS/cm		TDS g/L	Sal		. –	ORP	secchi	Lat	Long	Alt
pth	D/M/Y	24 hr	m	°C	mcg/L MLCA	mg/L MLCA	mm Hg			μS/cm	conductivity	resistance		ppT		mV r	nV	m			
13.6	15-9-2025			22.5			745.9	96	8.1	 	104.2	ł	·		7.36		94.8	2.7	45.51301	-79.91739	275.5
	15-9-2025	 	3	17.1	23	4.37	745.8	72	6.8	ļ	92.2		0.0705	0.05		-4.3	119.1				
	15-9-2025		6	7.8			745.7	15	1.8	 	80.6	t	0.0781		+	29.3	147.3				
	15-9-2025	1719	9	5.4			745.1	4		135.7	84.8	<u> </u>	0.0881	0.06	6.23	28.4	62.2				
	15-9-2025	1723	12	5.1			744.7	3	0.4	164.8	102.1	6.07	0.1071	0.08	6.32	24.1	-36.3				
	1	1								1	i	i									
12.5	23-7-2025	1512	surface	24.8			739.4	109	8.9	 	81.4		0.0531		7.41	-25.9	91.3	1.35	45.51324	-79.91745	273.53
	23-7-2025	1516	1	24.8	15		739.1	109	8.9	82	81.6	12.2	0.0533	0.04	7.41	-26.1	93.8				
	23-7-2025	1519	3	19.3			739.2	63	5.7	82.6	74	11.94	0.0548	0.04	6.63	20.5	122.3				
	23-7-2025	1525	5	8.2			739.9	31	3.6	92.3	62.7	10.86	0.0598	0.04	6.52	25	137.6				
	23-7-2025	1530	7	6			739.7	32	3.9	96.6	61.5	10.35	0.0628	0.04	6.51	24.8	143.1				
	23-7-2025	1533	9	5.2			739.6	13	1.6	116	72.3	8.88	0.0726	0.05	6.48	26.5	156.6				
	23-7-2025	1536	11	5.1			739.4	6	0.7	112.8	70.1	8.84	0.0795	0.06	6.55	22.7	34.3				
14.3	20-5-2025	1410	surface	15.7			744	92	8.9	90.6	74.4	11.05	0.0589	0.05			368.8	2.53	45.51288	-79.91816	275.06
	20-5-2025	1414	3	12	5	4.76	744.3	80	8.4	90	68.1	11.09	0.0586	0.04			385				
	20-5-2025	1419	6	6			743.7	53	6.4	93.6	59.5	10.63	0.0613	0.04			413.8			¢	
	20-5-2025		9	4.9			743.2	37	4.6	·		·	0.0676	0.05			418.7				
	20-5-2025	 		4.6			743.1	13	1.6	 		 					421.3				
	,			5					2.0		, 2.0		2.37.73	5.00							
11	19-9-2024	1150	surface	23.1			741.1	93	9.2	189.7	189.2	5.29	0.1229	0.00	7.47	-39.5	113 6	2.46m	45.51343	-79.91754	276.96
	19-9-2024		1	21.6			739.4	86	7.4	<u> </u>	177.1	<u> </u>	0.1232		7.42	-36.1	105.6	2.40111	43.31343	73.31734	270.50
	19-9-2024	 	2.5		< 2	4.54		73	6.6	 	177.1	 	0.1232		7.42	-24.8	109.6				
	+			······	< 2	4.54	-			ł		ļ			· 						
	19-9-2024	†	4	16.2			738.6	20	1.9	ł	172.6	ł	0.1347	0.1	·	17.2	128.9				
	19-9-2024	1209	6	12.7			737.7	5		 	159.7	 	0.1462	0.11	+	23.8	119.1				
	19-9-2024	†	8	7.6			736.9	1		·	165.7	ł				22.5	50.1				
	19-9-2024	1216	10	7			736.5	1	0.2	265.4	173.8	3.77	0.1722	0.13	6.55	13.3	-62.2				
							:			1	i	1									
13.4	25-7-2024	1623	surface	24.7			741.8	90	7.3	139.7	138.7	7.16	0.0907	0.07	7.4	-36.2	159.4	2.145	45.51299	-79.91754	275.15
	25-7-2024	1627	1	24.5			742	86	7.1	139.5	138.1	7.17	0.0906	0.07	7.41	-36.6	154.5				
	25-7-2024	1631	2.1	23.6	10		742.1	75	6.3	142.6	138.9	7.01	0.0926	0.07	7.18	-23.3	158.5				
	25-7-2024	1635	4	13.9			742.1	32	3.3	162.5	128.3	6.16	0.1054	0.08	6.41	20.5	181.7				
	25-7-2024	1638	6	8.9			741.9	32	3.6	199.5	137.4	5.04	0.1287	0.09	6.43	18.6	195.4				
	25-7-2024	1642	8	7.2			741.3	26	3	195.5	128.7	5.13	0.1264	0.09	6.41	19.6	209.1				
	25-7-2024	1645	10	6.5			741.5	2	0.2	205.1	132.4	4.89	0.1328	0.1	6.37	21.5	173				İ
	25-7-2024	1648	12	6.1			741.8	1	0.2	228.7	146	4.38	0.1482	0.11	6.63	7.1	-31.4				
	25-7-2024	t	13	6.1			742.2	1		†	145.5	ł		·	6.66	6	-53.8				<u> </u>
	10 / 202 /						, , , , , ,	_					0.2.77		1 0.001	- 1					
12 :	24-5-2024	1506	surface	21.3			735.7	93	8	103.9	96.9	9.62	0.0675	0.05	7.36	-28.7	229.3	2.07	45.5129	-79.91765	273.17
10.0	24-5-2024		2.1	17.7	9	4.9	†	109	10.3	 	88.2	 	0.0669		7.51		225.6	2.07	.5.5123	, 5.51, 65	2,3.1,
	24-5-2024	ļ		7.3	<u> </u>	4.3	734	80		ļ		ļ	0.0681		7.03		248.5				
	24-5-2024			·····			734			†	†	·†	0.0865		6.51		77.4				
	24-3-2024	131/	12	5			/33	23	2.9	125.8	78.3	1.72	0.0805	0.06	0.51	19.7	//.4				
	12.0.2022	101		20.0			744	0-	7.0	100.0	4-4	F 22	0.4040	0.00	7.0	20.4	140.0	2.71	45 54300	70.04765	277.0
12	13-9-2023	}					741.4	87	7.8	 		ļ	0.1213		·	-28.1	149.8	2.74	45.51286	-79.91765	2//.3
	13-9-2023			20.6	26		741.3	89	7.9	186.5	170.8	5.36	0.1212	0.09	7.3	28.4	165.9				
	13-9-2023	÷			26	4.76	·					<u> </u>	_								
	13-9-2023			20.6			741.6	84	7.6	ļ	·	·	0.1211		7.28	-27	175.6				
	13-9-2023	†					741.9	16	1.9	 	ļ	4	0.1364	····	6.26		218				
	13-9-2023	ļ		······			742	0		 	·	·	0.1538		6.25		91.4				
	13-9-2023	1038	11	5.7			742.1	-1	-0.1	269.3	170.2	3.71	0.175	0.13	6.53	15.2	-43.6				
12	25-7-2023	1413	surface	26.5			735.6	89	7.2	217.1	222.9	4.61	0.1408	0.11	7.54	-30.09	154.3	2.57	45.51278	-79.91762	276.52
	25-7-2023	1418	2.57		2																
	25-7-2023	1424	5	9.6			736.5	39	4.4	239.9	169.6	4.18	0.1551	0.11	6.45	32.8	196.2				
	25-7-2023	<u> </u>					736.5	3		-	<u> </u>				6.64		76.6				
13	28-5-2023	840	surface	17.8			745.6	92	8.8	101.6	87.7	9.84	0.066	0.05	7.41	-27.7	150.5	2.29	45.51248	-79.91768	274.49
	28-5-2023			_,,,,	18	4.66	÷	J.E.	0.0		0,1,7	3,04	2,000	3,03		-/./			.5.512.40	, , , , , , , , , , , , , , , , , , , ,	
	28-5-2023	†		17.7	10	4.00	745.8	89	8.4	101.5	87.4	9.85	0.066	0.05	7.38	-26	161				
	- 			······			†			ļ	·	·			·÷						
	28-5-2023	853					745.1	71	8.5	ł	ļ				6.66		213.9				ļ
	28-5-2023	901	10	5			743.3	22	2.8	204.3	128.9	4.78	0.1365	0.1	6.42	29.8	241.8				

(pH measurement was unavailable for May 2025 for all areas due to equipment malfunction)

B Grey Owl Lake

Grey Owl Lake, Mo																				
Site Date)anth	Temn	Total Phos	Calcium	Barr Pros	DO % DO	ma/l	SDC	C μS/cm	K Ocm	TDS g/L	Cal	рН	рН	ORP	secchi	Lat	Long	Alt
depth D/M/Y	24 hr r			mcg/L MLCA			DO 70 DC			conductivity		TD3 g/L	ppT	рп	mV	mV	m	- Lat	Long	Ait
depth D/W//		'		meg/ E IVILE/ (IIIB/ E IVILCA				μογem	conductivity	resistance		ppi							
6.1 15-9-2025	1427 s	urface	21.3			747.1	96	8.4	56.2	56.9	16.99	0.0402	0.03	7.32	-33.	1 126.2	2 2.9	45,52535	-79.94126	275.88
15-9-2025	1432	······	19.6			745.8	 	7.9		56.5	16.88		0.03		 	5 129.4				
15-9-2025	1440		18.4	15	4.6			7.4		45.4	19.26		+		 	3 144.3				
15-9-2025	1446	÷	17.7			743.8	ł	1.9		54.2	16.02		0.03		<u> </u>	3 -32.6				
1				:		I							: ;		1	1	1		į.	ı
5.8 23-7-2025	1209 s	urface	24.3			740.7	96	7.8	40.3	39.8	24.81	0.0262	0.03	7.19	-12.	7 119.6	2.36	45.52543	-79.94108	276.28
23-7-2025	1215		23.7	32		739.7		7.9		38.3	25.4		0.03		 	3 127.9				
23-7-2025	1219		23.3			739.5	85	7.1		38.5	25.21	0.0258	0.03	6.99	<u> </u>	1 128.7				
23-7-2025	1224	4	20.4			739.7	16	1.4		33.6	27.25		0.02		59.0	5 166.4	4			-
23-7-2025	1227		15.6			739.6	t	0.1		57.2	19.88		+		-	3 -14.9				
						1									ı		,		I	
5.8 27-5-2025	1652 s	urface	20.3			744.4	99	8.7	44.9	40.9	22.27	0.0292	0.03			223	3 2.77	45.52512	-79.94109	276.93
27-5-2025	1658		15.8	8	4.15			9.1		37.1	22.17		0.03			225.8	8			
27-5-2025	1703		14.2			743.6		8.1		35.1	22.66		+			241.6				
27-5-2025	1707		11.7			742.4	l	0.1		58.9	12.77		· · · · · · · · · · · · · · · · · · ·			257.9	9			
	,	,																		
5.5 20-9-2024	1052 s	urface	22.5			740.6	96	8.1	143.9	136.7	6.95	0.0936	0.07	7.37	-33.	74.5	3.24	45.52549	-79.94122	275.1
20-9-2024	1056	1	22.1			739.7	87	7.4	148.9	140.6	6.72	0.0968	0.07	7.38	-34.2	2 83.5	5			
20-9-2024	1059	2	21.8			739.1	82	7	151.4	142.2	6.61	0.0984	0.07	7.37	-33.	1 132.1	1			
20-9-2024	1102	3	19.9			738.6	68	6	156	140.9	6.4	0.1017	0.08	7.22	-24.	3 139.5	5			
20-9-2024	1105	3.5	19.5	5	4.78	738.6	60	5.4	156.4	139.9	6.41	0.1016	0.08	7.02	-12.	3 146.9	9			
20-9-2024	1108	4	19.1			738.4	48	4.4	156.3	138.9	6.39	0.1017	0.08	6.84	-2.4	155.3	1			
20-9-2024	1111	5	18.4			738.3	20	1.8	173.8	152.1	5.74	0.1135	0.09	6.6	11.4	4 -1.2	2			
5.6 25-7-2024	1224 s	urface	24.5			741.9	91	7.5	96.8	95.7	10.35	0.0628	0.05	7.35	-32.3	3 107.3	3 2.62	45.52519	-79.94134	278.4
25-7-2024	1230	1	24.2			741.8	88	7.3	96.5	95	9.55	0.0628	0.05	7.31	-30.0	5 130.5	5			
25-7-2024	1233	2	24.1			741.7	85	7	104.3	102.3	9.51	0.0676	0.05	7.25	-27.	3 139.2	2			
25-7-2024	1242	2.6	23.8	6		740.5	70	5.8	108.8	106.2	9.2	0.0707	0.06	7.12	-19.0	148.9	9			
25-7-2024	1239	3	23.5			740.9	66	5.5	106.4	103.8	9.4	0.0691	0.05	7.13	-21.	1 145.2	2			
25-7-2024	1245		18.5			740.8	7	0.6	129.9	113.9	7.72	0.0842	0.06	6.27	29.:	3 168.3	1			
25-7-2024	1248	5	15.3			741	1	0.1	176.6	145.3	5.65	0.1159	0.09	6.57	9.4	33.3	3			
						1										,				
6.2 24-5-2024	+	urface	·····			735.4	ł	8.8		40.8	22.1		0.03			2 177.5		45.52522	-79.94121	273.91
24-5-2024	1045		18.5	8	5.01		l	7.8		38.9	22.54		0.03			1 198.3				
24-5-2024	1050	5	10.4			736.1	1	0.1	67	48.1	15.01	0.0432	0.03	6.62	13.4	4 -13.3	1			
-14													!							
5 13-9-2023	1500 s					741.5	÷		127.8	118	7.82		0.06			174.8		45.52514	-79.94125	275.74
13-9-2023	1506		20.9			741.6	!····		128.5	118.6			0.06		÷	2 187.4				
13-9-2023	1511		20.9	4.0		741.5	74	6.7	128.7	118.7	1.77	0.0837	0.06	7.05	-13.	192.9	9			
13-9-2023	1504	2.54		16	4.44		01	7.	120.0	440 -		0.000	0.00	7.0-	40	- 40	_			
13-9-2023	1514		20.9			741.6	ł		128.8	118.7	7.77					196				
13-9-2023	1518		20.8			741.7			129.3	119					†	209.2				
13-9-2023	1521	4.5	20.6			741.7	59	5.2	130.2	119.3	7.08	0.0887	0.07	0.53	15.	180	U			
5 25-07-2023	1123 s	urfaca	25.2			720.4	00	7 4	127 /	127.7	7 05	0.0828	0.06	7 45	25	1 187.4	1 2 20	15 E2E74	-79.94181	272.00
3 23-07-2023	1123 5	÷	24.7			739.4 738.4	ł		127.4	127.7 126.6		0.0828	+		:	1 187. ² 3 197. ¹		43.323/1	-/3.94181	2/3.00
	1129	3.28		< 2 mcg/L		730.4	03	0.8	127.3	120.0	7.00	0.0020	0.00	7.59	-21.0	19/				
	1136		20.8	~ Z IIICB/ L		738.3	61	5 5	130.4	120	7 60	0.0846	0.06	6.64	22.	7 212 1	3			
	1130	4	20.0			/30.3	01	٥,٥	150.4	120	7.08	0.0040	0.00	0.04	22.	210.3	J	I		1
5 23-06-2023	10:22	1.14		5		***************************************	111111111111111111111111111111111111111						***************************************				1.14	45.52532	-79.94168	278.03
5.2 1/6/2023	1215 c	urface	23.9			737.9	91	7.8	134	131.1	7.45	0.0872	0.07	7 5	-32	200	7 234	45.5260	-79.94281	276.2
3.2 1/0/2023	1217 2	2.34		105	4.33		71	7.0	104	131,1	7.43	0.0072	3.07	ر. ،	34.	200.	, 2,34	73.3209	, ,,,,+201	2,0.2
	ļ		·····	103	7.33	737.6	91	2 0	152.4	127.8	6.59	0.0985	0.07	7 33	-22	1 202.8	8			
	1222 3	3 m	In h																	
	1222 3 1232 5		16.6 12.2			737.0	·		156.3	118	6.41		·		<u> </u>	3 178.3				

C McKellar Lake

		Time	Depth	Temp	Total Phos Cal	cium	Barr Pres	DO %	DO mg/L	SPC	C μS/cm	KΩcm	TDS g/L	Sal	рН	рН	ORP	secchi	Lat	Long	Alt
pth D	/M/Y	24 hr	m	°C	mcg/L MLCA mg/	L MLCA	mm Hg			μS/cm	conductivity	resistance		ppT		mV	mV	m	degrees	degrees	m
701	5-9-2025	1553	surface	21.5			745.4	94	8.1	52.1	48.6	19.19	0.0339	0.02	7 17	-23.4	106.1	2.4	45.51058	-79.92822	
	5-9-2025	1600	Surrace 2	19.1	16	4.00	745.4	89	8	51.7		19.19	0.0339			-23.4	116.1	3.4	45.51056	-/9.92022	
	5-9-2025	1605	4	18.1	10	4.09	746	78	7.2	51.8	·	19.31	0.0330		6.86	ļ	127.1				
	5-9-2025	1610	7				745.7	5	0.5	119.8	 	8.49			6.81		-57.9				
1-	7 2025	1010	,	11.2			743.7	,	0.5	115.0	67.5	0.45	0.0701	0.00	0.01	2.5	-37.3	l			
8.1 23	3-7-2025	1352	surface	25			741.8	106	8.6	38.1	38	26.25	0.0259	0.03	7.33	-21.2	96	2.32	45.51064	-79.92824	272.
	3-7-2025	1400	2	23.7	22		741.2	102	8.4	38.2	·	26.22	0.0248	0.02		-22.3	107.8				
23	3-7-2025	1405	4	20.6			741	56	5.1	39	35.7	25.61	0.0253	0.02	6.59	22.3	129				
23	3-7-2025	1410	6	11.4			740.6	3	0.3	49.3	37.3	19.86	0.0318	0.02	6.45	28.7	139.6				
23	3-7-2025	1415	8	9.6			740.1	3	0.3	74.6	53	13.28	0.0491	0.04	6.94	-1.6	-17.9				
			:				ı									ı	1	:	:		
)-5-2025		surface	16.9			742.9	93	8.8	40	·	25	0.026				367.5		45.51056	-79.92809	270
)-5-2025	1534	3	14.6	9	4.06	742	89	8.9	39.4		25.34	0.0257				372.6				
)-5-2025	1536	5	9.8			741.7	70	7.7	40.4	<u> </u>	24.74	0.0263				397.8	ļ			
20)-5-2025	1539	7	8.5			741.5	17	2	46.9	32.2	21.29	0.0299	0.02			410.2				
0 2 10	0 2024	1542	Cfo and	22.4			727.1	02	0.1	116.2	100.0	0.63	0.0753	0.06	7 47	20.1	127.1	2.25	45 51047	70.0276	270
	9-9-2024 9-9-2024	1542	Surface	22.4 22			737.1 737.6	93 82		116.2 115.1		8.63 8.68				-39.1 -39.2	127.1 135.2		45.51047	-79.9276	270
	9-9-2024	1549	1 2	21.6			737.8	83	7.1		·	6.82				-39.2 -43.7	131.4	÷			
	9-9-2024	1552	3.4	19.3	7	156	737.9	64	5.7		·	6.54				-43.7 -25.4	144.8				
	9-9-2024	1555	3.4	19.3		4.50	737.5	59	5.3		·	6.54	0.0993		7.04		144.8	†			
	9-9-2024	1558	6	14.7			738.3	3	0.3	171.4		5.84			6.44		173.4				
	9-9-2024	1601	8				738.1	2	0.2		·	5.41			6.6	<u> </u>	-22.8	ļ			
	3 2024	1001	0	12.0			750.1	-	0.2	104.0	141.5	3.41	0.1201	0.03	0.0	0.1	22.0	I			
7.5 25	5-7-2024	1508	surface	24.3			744.2	91	7.3	95.1	93.7	10.53	0.0617	0.05	7.31	-30.8	149.5	2.66	45.51049	-79.92764	271
25	5-7-2024	1511	1	24.3			744	88	7.2	95		10.51	0.0618	0.05	7.31	-30.9	153.2				
	5-7-2024	1516	2.6	24.2	7		742.4	73	6	103.4	101.9	9.67	0.0676	0.05	7.3	-30.2	153.4			•	
25	5-7-2024	1519	3	24.2			741.6	72	6	107	105.4	9.31	0.0698	0.05	7.3	-30.5	152				
25	5-7-2024	1522	5	13.8			741.4	5	0.5	138.2	108.6	7.23	0.0899	0.07	6.3	26.7	181.4				
25	5-7-2024	1526	7	10.2			741.4	1	0.1	188.7	141.6	5.05	0.1276	0.09	6.93	-8.7	-66.4				
																			_		
7.1 24	1-5-2024	1635	surface	22			735.5	96	8.3	44.3	41.8	22.52	0.0289	0.03	7.32	-25.9	178.5	4.11m	45.5102	-79.92742	27
24	1-5-2024	1642	3.2	15.2	6	4.51	735.5	94	9.1	43.7		22.79	0.0286			-7.3	195.7				
24	1-5-2024	1649	6	9.3			736.1	52	5.8	52.8	37.1	18.96	0.0341	0.03	6.55	17.7	219.6				
_			- 1				I		1												
	3-9-2023			20.9			743.4	91	8.1	131	120.8	7.63	0.0852	0.07	7.04	-13.3	150.6	2.97	45.50983	-79.92511	274
	3-9-2023	1131		20.0	17	4.34	·	~ 1		104 0	404.5		0.0055		7.00	15.0	450.0				
	3-9-2023	1132		20.9			743.4	91		131.6	•••••••••		0.0855		7.09	<u> </u>	159.9				
	3-9-2023	1137		20.9			743.4	86 49		131.4	·	······	0.0854	······		-15.9	168.4				
	3-9-2023 3-9-2023	1140	-	19.3 14.3			743.3 743	48 1	·	141.6 158.2	+		0.0924 0.1035		6.44		194.4	·		•	
13	5-9-2023	1143	0	14.3			743	1	0.1	130.2	126.9	0.29	0.1035	0.08	6.24	32.7	215.7				
			-						-									1			
6.5 25	5-7-2023	1529	surface	26			736.7	99	8	132.3	134.7	7.57	0.0857	0.07	7.57	-32.8	152.6	3.34	45.50996	-79.92498	271
		1536		24.1			736.9	97	·	120.3	•		0.0841				170.7	÷			
			3.41		5				-								-				
		1541		11.5			737.3	8	0.9	159.8	121	6.12	0.0151	0.08	6.69	17.2	129.1			0	
	·								·			·									
6.5 1-	6-2023	1340	surface	24.8			738.5	92	7.6	133.8	132.9	7.48	0.0867	0.07	7.34	-23.9	212	4.18	45.50987	-79.92487	27
			4.18		25	3.9															
	1	1346	2 m	16.4			738.4	87	8.6	154	128.7	6.40	0.1003	U U8	7.06	-6.9	229.7				

D Moffat Lake

_	Date	Time	Depth	Temp	Total Phos Calci	um	Bar Pres	DO % I	DO mg/L	SPC	C μS/cm	KΩcm	TDS g/L	Sal	рН	рН	ORP	secchi	Lat	Long	Alt
pth	D/M/Y	24 hr	m	°C	mcg/L MLCA mg/L	MLCA	mm Hg			μS/cm	conductivity	resistance		ppT		mV	mV	m			
3.6	17-9-2025	1010	surface	19.5			747.3	93	8.4	33.6	30	29.79	0.0218	0.02	7.28	-30	116.4	1.7	45.53426	-79.88094	273.62
	17-9-2025	1015		19.2	ļ		745.8	ļ	8.4	33.6	29.9		0.0218			ļ					
	17-9-2025			18.4	<u> </u>	4.55	744.9	<u> </u>	7	 		·\$	0.0219	÷		t	144.3				
	17-9-2025	ļ		17.6	ļ		743.9	ļ	4				0.0224			ļ	153.9				
					!		, , , , , ,														
4.1	22-7-2025	939	surface	22.6			747.5	74	6.4	23.7	22.6	42.22	0.0154	0.02	6.56	24.5	140.6	0.91	45.53472	-79.88085	272.01
	22-7-2025	944		22.2	<u> </u>		747	<u> </u>	5.8	ļ			0.0154	·••		ţi-	157.6	0.02		, , , , , , , , , , , , , , , , , , , ,	
	22-7-2025	949		22			746.8	 	5.7	\$			0.0154	·		ļ					
	22-7-2025			21.1	<u> </u>		745.7	ļ	2.2	ļ		·•	0.0158	÷		<u> </u>	175.5				
	22 / 2025	550	J	21.1			743.7	25	2.2	24.5	, 22.3	41.03	0.0130	0.02	0.20	33.0	175.5				
5 5	27-5-2025	1525	surface	20			744.7	98	8.7	28.3	25.5	25 20	0.0184	0.02			230.7	2 //1	45.53434	-79.88086	272 20
	27-5-2025	фф-		15.5	ļ	3.96	·····	 	8.7	å			0.0184				240.2	2,41	72,23434	, 5.00000	2/3.39
	27-5-2025			13.9	<u> </u>	3.30	 		7.2			·÷·····	0.0201	·÷	··•						
	21-2-2023	רכרד	3.3	15.9			743.3	12	1.2	30.9	, 24.4	32.29	0.0201	0.02	1	I I	256.8				
1	20-9-2024	12//	curface	22 6			737.3	99	8.3	149.5	142.5	6 60	0.097	0.07	7 52	-126	124.1	2.01	45 50000	-79.88094	יד כדכ
	20-9-2024	······································		21.6	ļ		736.6	ļ	8.1	<u> </u>			0.097			ļ	123.6	2.01	43,33363	-79.00094	2/2.//
				21.0	÷	C 12	 	÷	7.7			·	0.1009	·•		ф					
	20-9-2024	\$			ļ	6.13	ļ	ļ						·		ļ	131.2				
	20-9-2024			18.3	†		737.5	ļ	2.8	ļ		·•	0.1054	·•		łi	154				
	20-9-2024	1301	3.9	17.9			735.4	14	1.2	186.3	160.8	5.38	0.1208	0.09	6.68	6.5	-8.8				
	23-7-2024	фф-			÷		740.6		6.7					·		ļ		1.31	45.53416	-79.88059	270.16
	23-7-2024	ļ		24.2	ł		738.9	ļļ	5.2	·		·	0.0676	·		∤	152.3				
	23-7-2024	фф-		23.7			737.9		3.9	†			0.0685	·		ļ	161.6				
	23-7-2024	1237	3	19.8			737.5	1	0.1	118	105.9	8.5	0.0764	0.06	6.26	29.7	74.2				
							ı			ı					i						:
	22-5-2024						731.2		8.1			·\$	0.0167	·		<u> </u>	156.7	2.25	45.53368	-79.88083	275.53
	22-5-2024	ļ		20.8	·	4.38	731.2	ļ	7.9	\$			0.0167			ļ	172.4				
	22-5-2024	1132	3	14.3			730.8	70	6.9	20.5	19.8	39.93	0.0161	0.02	6.51	20.8	186.8				
3.3	8-9-2023	1529	surface	21.8			743.2	<u> </u>	7.9	ļ	104.3		0.0721	·			210.1	1.52	45.54126	-79.87771	273.16
	8-9-2023	1533	1	21.8			743.3	77	6.8	110.9	104.1	9.02	0.0721	0.06	7.03		215.8				
	8-9-2023	1540	1.52	21.4	20	5.42	743.3	73	6.4	110.3	102.8	9.09	0.0716	0.06	6.87		226				
	8-9-2023	1535	2	20.9			743.2	55	4.9	111.9	103.1	8.94	0.0727	0.06	6.6		230.7				
	8-9-2023	1537	3	19.8			743.2	36	3	114.7	103.3	8.71	0.0748	0.06	6.42		247.5				
3	27-7-2023	1117	surface	26			736.8	92	7.2	115.8	118	8.64	0.0752	0.06	7.33	-18.2	188.1	2.22	45.54128	-79.87777	272.88
	27-7-2023		2.22		7																
	27-7-2023	1121	2	24.7			736.3	75	6.4	115.9	115.6	8.64	0.0751	0.06	6.82	12.4	212				
																	,				
3.5	1-6-2023	1039	surface	24.8			742.6	96	7.9	102.9	102.6	9.71	0.067	0.05	7.24	-18.1	184	2.24	45.54103	-79.87785	271.28
	1-6-2023	2.24			24	3.94	1														
	1-6-2023	1044	1	20.9	ļ		741.9	86	7.7	115.1	106.1	8.7	0.0747	0.06	6.93	0.5	204.3				
	1 0 2023																				

E Mary Jane Lake

Mary I	ane Lake, Mo																				
	Date		epth -	Temp	Total Phos	Calcium	Barr Pres	DO % [00 mg/l	SPC	C uS/cm	KΩcm	TDS ø/I	Sal	На	рН	ORP	secchi	Lat	Long	Alt
depth		24 hr m	•		mcg/L MLCA		-	20,00			conductivity		1208/2	ррТ		mV		m		20.18	m
	-,,.									,	,										
5.2	17-09-2025	1144 su	rface	20.4			741.2	94	8.4	87.5	79.3	11.54	0.0563	0.04	7.87	-64.2	99.2	3.2	45.50996	-79.85085	288.24
	17-09-2025	1155	1	19.5			739.5	92	8.3	62.9	53.5										
	17-09-2025	1200		18.6	·	15.3		89	8.1	86.3	75.7		0.0561								
·····	17-09-2025	·····		17.9			739.4			117.3	99.1	ļ	0.0705		·····-						
						!												1		1	
5.6	22-7-2025	1128 su	rface	23.5			740.2	93	7.7	58.9	57.2	16.99	0.0383	0.03	7.53	-32.4	120.5	2.44	45.51024	-79.85067	289.03
	22-7-2025	1133		22.6	ł		740.7	86	7.2	60.1	57.5										
	22-7-2025	1147	3				740.6		6.4		57.1	†									
	22-7-2025	1138		19.8	 		740.9	0		62.1	56										
	22-7-2025	1142		18.6			740.8	0		127.2	108.9	-	0.0441					·			
-	22 / 2023	1172	,	10.0			740.0	J,	, .	127.2	100.5	13.73	0.0441	0.04	0.57	2.0	00.5	' I			
5.1	28-5-2025	1129 su	rface	17.8			744.1	108	10	75.9	65.5	13 17	0.0493	0.04			169.6	3.7	45.50995	-79.85106	287.79
	28-5-2025	1136			 		744.1	103	10.1	75.3	61.7						169.2		43,30333	75.05100	207.73
	28-5-2025 28-5-2025	1141	3	15.0		13.9	·			75.6	61.2		0.0472				179	·			
	28-5-2025 28-5-2025	1141		14.3	ł	13.9	742.2		-	77.9	62	 					204.5				
	20-3-2023	1143	4.3	14.3			/41	92	9.1	77.9	02	12.00	0.0507	0.04			204.5	'			
E 2	18-0-2024	1508 su	rface	22.2			720 2	98	0.2	152 6	148.4	6 56	0.000	0.00	0 no	-72 F	143.1	1	45.51027	-79.85092	287.19
	18-9-2024	1508 su 1512					738.3	98 89		152.6 151.4	148.4								45.51027	-79.00092	207.19
	18-9-2024			21.8	ł	16.0	738.1														
	18-9-2024	1516		21.6		16.8	·	81		157.2	146.7	ļ			·····						
	18-9-2024	1519	3		·		738	70		161.4	145.9										
	18-9-2024	1522		19.9			737.8	64		160.8	145.2		0.1046								
	18-9-2024	1525	4.5	19.8			737.8	33	2.9	182.4	165.1	5.45	0.1196	0.09	6.//	4.1	-36.5)			
_1																	4-0-0				
	23-7-2024	1644 su			tt		738.2	94		140.3	143.5	·	0.0911						45.5088	-79.85369	290
	23-7-2024	1648		24.8			738	87		141.5	141										
	23-7-2024	1652		24.4	·		738	77	*	147.8	146						155.3				
	23-7-2024	1704		24.2			737.6			148.1	145.8				·····		40.8				
	23-7-2024	1655		24.1	tt		737.8	65		150.5	147.8	·									
	23-7-2024	1658		21.6			737.7	27		155.1	145.1				····			·			
	23-7-2024	1701	5	20.1			737.6	7	0.6	234.5	212.3	4.26	0.153	0.11	6.99	-12.2	-70.6	j			
							1	1												1	
	23-5-2024	1142 su			 		736			67.5	61.6								45.51126	-79.8491	288.26
	23-5-2024	1150		15.7		14.9	-		10.07		56.2										
	23-5-2024	1157	4	10.5			735.2	105	10.3	67.4	54.6	14.87	0.0439	0.04	7.69	-45	180.5	6			
					,																
4.5	8-9-2023	1200 su	rface	22.5			740.5	93	8.1	156.6	147.4	6.49	0.1	0.08	7.84		175.4	4.08	45.50864	-79.85369	288.36
	8-9-2023	1202		22.5			740.4	90	7.9	154	146.7	6.49	0.1002	0.08	7.92		181.6	j			
	8-9-2023	1206	2	22.4			740.4	86	7.2	153.5	145.9	6.52	0.0996	0.08	7.91		178.2	!			
	8-9-2023	1209	3	22.3			740.3	87	7.6	152.8	145.2	6.54	0.094	0.08	7.89		184.7	1			
	8-9-2023	1212	4	21.7			740.3	84	7.3	152.9	143.3	6.54	0.0992	0.08	7.74		188.6	5			
	8-9-2023	1210	4.08		29	14.7															
4.3	26-7-2023	1247 su	rface	25.4			734.7	93	7.6	157.7	158.9	6.35	0.1023	0.08	7.94	-54.7	155.8	3.45	45.51083	-79.85003	287.68
	26-7-2023	1254	3.45		< 2																
Ì	26-7-2023	1256	3	25			734.2	90	7.4	155.8	155.8	6.42	0.1013	0.08	7.98	-57	164.1				
		,																			
4	29-5-2023	1010 su	rf	18.7			740.3	102	9.4	67.4	59.6	14.91	0.0436	0.04	8.23	-76.1	150.9	2.61	45.51083	-79.849959	
	29-5-2023	1010			15	13.1	· 														
·	29-5-2023	1015 3 r		17.1	tt		738.5	87	8.3	189	160.8	5.29	0.1229	0.09	7.96	-59.7	163.6	j			
		-1				<u> </u>		1													i

F Minerva Park, Manitouwabing Lake

Lake I	Manitouwal	bing t	ip of Miner	va Park	McKellar	Ontario	Canada															
Site	Date	Time	Depth (m) T	emp	Total Phos	Calcium	Barr Pres	SPC	C μS/cm	K Ωcm	Ms/c cm	TDS g/L	Sal	DO %	DO mg/L	рН	pH mV	ORP	secchi	Lat	Long	Alt
depth	D/M/Y	24 hr	٥	С	mcg/L MLCA	mg/L MLCA	mm Hg	μS/cm	conductivity	resistance			ppT					mV	m			
1m	1/9/2022	1116	surface	21.24	< 30						0.066	0.043	0.03	101.3	8.9	7.37		246.9	N/A			

G McKellar Bay, LPP 19, Manitouwabing Lake

						_															
C:+-	Manitouwa				McKellar 	,	D = = D===	DO 0/	DO/I	CDC	C C /	/ O	TDC -/I	C-1	I I	\/	ODD		1-4	Lama	۸ اه
	Date D/M/Y		m			ncg/L MLCA		5 DO %			C μS/cm		TDS g/L	_	рН	pH mV		secchi m	Lat	Long	Alt
aeptn	D/ IVI/ T	24 111				TICE/L WILCA	ппп пв			μο/ τιτι	conductivity	esistance		ppT			IIIV	111			
9.3	26-9-2025	1141	sur	face	19.2		738.7	7 91	8.3	55.9	49.7	17.8	0.0364	0.03	7.33	-32.8	91	3.1	45.50413	-79.91979	271.31
	26-9-2025	1144	 	2	19	5	738.7		8.5	55.8	49.4	17.91	0.0363				101.2				
	26-9-2025	1158		8		< 2															
					,				,												
9.3	16-7-2025	935	sur	face	27		738	99	7.6	39.3	40.8	25.41	0.0256	0.03	7.3	-19.5	114.5	2.49	45.40419	-79.91976	267.49
	16-7-2025	942		2	26.9	11	737.3	98	7.7	39.3	40.7	25.44	0.0256	0.03	7.29	-18.4	115.7				
	16-7-2025	946		4	18.3		737.4	¥ 81	7.4	39.1	34	24.97	0.0259	0.02	6.74	12.8	126.4				
	16-7-2025	951		6	8.9		737.7	7 6	0.7	53.1	36.6	19.74	0.0329	0.03	6.28	38.1	161.6				
	16-7-2025	956		8	7.3	44	737.6	5 2	0.2	56.5	37.2	17.85	0.0361	0.03	6.52	25.1	10.1				
	ı	1			i			1 1											I	ı	
9.7	26-5-2025	1312	 		17.8		746.4		9.7	52.4		19.07	0.0341	0.03			214.8		45.50422	-79.92059	269.63
	26-5-2025	1318		2	15	16			9.8	52.8		18.94	0.0343				233.4			<u> </u>	
	26-5-2025	1323	 	4	12.4		742.4		9.1	55.3	41.9	17.99	0.0349				270.3				
	26-5-2025	1330		6	7.7	21	741.7		7.5	59.3	41.3	15.58	0.035				289.2				
	26-5-2025	1337	1	8	6.6	21	740.9	37	4.4	55.3	35.9	18.07	0.036	0.03			295			l .	
10 1	26-9-2024	1535	Sur	face	20.2		742.8	92	Q 1	144.3	131.1	6.93	0.0938	0.07	7 17	-21 O	102.9	2 /17	45.50394	-79.91986	272.79
10.1	26-9-2024	1538	ł	1	19.8		742.6			144.3	130.9	6.82	0.0938				102.9		45.50554	, 5.51360	212.19
	26-9-2024	1543		2	19.7		742.4		-	146.8	130.9	6.81	0.0955				133.2				
	26-9-2024	1546	ł	3	19.8	9	742.5			147.4	132.3	6.78	0.0959		7.15						
	26-9-2024	1549		5	17.4		742.6		 	152.7	130.8	6.55			6.64		152.4				
	26-9-2024	1552		7	11.2		742.8	3 0	0	192.9	142.5	5.18		0.09	6.38	23.2	166				
	26-9-2024	1555		9	8.8	206	742.9) 0	0	266.1	183.5	3.77	0.1726	0.13	7.11	-17.9	-145.6				
10	16-7-2024	1638	sur	face	26		731.6	108	8.3	51.5	52.5	19.42	0.0334	0.03	7.11	-19.9	113.9	1.7	45.50391	-79.91987	267.78
	16-7-2024	1641		1.65	26	10	731.7	7 89	6.9	51.2	52.1	19.52	0.0333	0.03	7.3	-29.9	132.6				
	16-7-2024	1644	ł	3	21.7		730.9		7		50.3	18.51	0.0351		7.37		155.3				
	16-7-2024	1647		6	13.6		730.8		 	171.6	129.2	5.82			6.47		197.6				
	16-7-2024	1652		9	12.6	84	730.3	3 1	0.1	196.7	148.7	5.05	0.1289	0.09	6.58	8.9	-14.2				
0 7	20 5 2024	1050	1		10.2		745	02	0.4	0.0	05.5	10.44	0.0024	0.05	7.4	20.5	444.0	2.07	45 5020	70.02000	270.20
9.7	30-5-2024 30-5-2024	1050	<u> </u>		19.3	10	745		8.4			10.41					111.8 152.7	2.97	45.5038	-79.92008	270.29
	30-5-2024	1101 1105		3 6	18.1 9.4	10	745.1 745.5		8.3	99.1 105.2	86.4 73.7	10.08 9.53	0.0643 0.0679				189.5				
	30-5-2024	1110	<u> </u>	9	8.4	25	743.3			141.3	95.7	7.16			7.05						
	30 3 202 1	1110	1	٠,	0.1	23	, , ,	·	•	141.5	33.7	7.10	0.0307	0.07	7.03	10.0				1	
10	15-9-2023	1150	sur	face	20.4		743.2	82	7.3	140.4	128	7.13	0.0911	0.07	7.11	-17.3	152.7	3.05	45.50374	-79.92007	272.67
	15-9-2023	1157		1	19.9		742.1		 	139.5	125.9	7.17	0.0907	0.07	7.1		†				
	15-9-2023	1202	<u> </u>	2	19.8		741.6			139.3	125.4	7.18					180.4				
	15-9-2023	1150		3.05		3															
	15-9-2023	1206		4	19.7		743	3 78	7	139.2	125	7.19	0.0905	0.07	7.11	-17.3	185.3			Į	
	15-9-2023	1209	<u> </u>	6	12.6		743.5	5 5		159.2	121.2	6.29	0.1027		6.24		220.5				
	15-9-2023	1215	·	8	8.7		743.3	3 0	0	186.2	128.5	5.37	0.1211	0.09	6.67	8	-14.7				
	15-9-2023	1159	l .	9		15															
	22 7 2555	4:5-			24.5		700	ا م	1	424	400 5		0.0000	0.5-					45 55 :==	70.0000	l
9.6	23-7-2023	1133	sur		24.9		733.1	L 92	7.3	134.4	133.5	7.47	0.0869	0.07	7.51	-28.4	46.8	2.6	45.50475	-79.92088	
	23-7-2023 23-7-2023	1126	-	2.6	246	2	725	. 02	77	120.0	120.2	7 1 2	0.0012	0.07	7 [2	20.2	1640			<u> </u>	
	23-7-2023	1126 1130	<u> </u>	3 7	24.6 11.2	2	735 734.3		1.5	139.9 192	139.3 140.5	7.12 5.22					164.8 44.4				
	23-7-2023	1130	l	/	11.2		/ 54.3	, 9	1.3	192	140.5	الم. د	0.1237	0.09	0.00	0.0	44.4			I	
9.6	31-5-2023	1555	sur	face	24.8		738 6	100	8.1	57.6	57.3	17.37	0.0374	0.03	7.49	-33.1	183	2 37	45.50374	-79.91994	
٥.٠	31-5-2023	1000	·	2.37	۷٦.0	11		_ 100	0.1	37.0	37.3	11.37	0.03/4	3.33	,.43	JJ.1	103	2.37	13.303/4	, ,,,,1,,,,4	
	31-5-2023	1612	ļ		9.9		735.1	L 63	7	167.2	119.3	5.98	0.1087	0.08	6.62	18.5	205.5				
	31-5-2023	1617	·		8.1	12				174.5		5.74					166.3				
												1									
											Ms/c cm										
9.3	1-9-2022	1104	sur	face	21.73	160		102	8.97		0.66		0.43	0.03	7.33		193.7				
	1-9-2022	1102		3	21.6			88.5	7.89		0.66		0.43	0.03	7.18		151.2				
	1-9-2022	1059		6	10.89			5.1	0.47		0.067		0.044	0.03	7.85		80.1				
	1-9-2022	1055		9	7.2	< 30		2	0.24		0.13		0.082	0.06	7.1		-129.9	3 m			

H Lakeshore Rd Boat Launch LPP 18 Manitouwabing Lake


te Date	Time	Depth	Temp	Total Phos	Calcium	Bar Press	DO	DO	SPC	C μS/cm	K Ωcm	TDS g/L	Sal	рН	pH mV (ORP mV s	ecchi	Lat	Long	Alt	Tot Phos	Calcium	Cl mg/
epth D/M/Y	24h	(m)	°C	mcg/L MLCA	mg/L MLCA	mmHg	%	mg/L	μS/cm	conductivity	resistance		ррТ			r	n				LPP mcg/L	LPP mg/L	LPP
10.3 26/5/2025	1350	Surface	16.9			742.6	104	9.8	53.7	45.5	18.66	0.0348	0.03			192	1.98	45.50280.	-79.91496	272.04			
26/5/2025	1357	2	15.1			742	101	10	53.6	43.5	18.65	0.0348	0.03			191.8							
26/5/2025	1402	4	13.1			742.1	90	9.3	54.1	41.8	18.52	0.0351	0.03			236.8							
26/5/2025	1408	6	8.1			743.1	67	7.7	53.4	36.1	18.75	0.0347	0.03			262							
26/5/2025	1412	8	6.7			743.5	44	4.4	55	35.8	18.17	0.0358	0.03			271.9							
10.4 30-5-2024	1012	surface	19.1			747.3	93	8.5	56.2	49.9	17.79	0.0365	0.02	7.47	-34.5	166.8	2.00	4F F02F0	-79.90182	265.09			
10.4 30-5-2024	1012		17.3			747.3	93	8.6	92				0.03	7.47	åå	179.6	3.08	45.50259	-/9.90182	205.09	X	X	
	1022	3.2 5				745.1	<u> </u>	7.5	96.2		••		0.05	6.76	ļ	202							
	1028	7.5				745.1		4.1	105.9	73			0.05	6.56		235.4							
	1032	7.3 10				743.2	†	0.4	117.2		•		0.03			233.4							
	1030	10	0.5			744.0	4	0.4	117.2	00.4	0.32	0.0704	0.00	0.61	3.1	233.0							
7 m 31/5/2023	1646	surface	25			737.2	94	7.7	154.8	154.6	6.47	0.1004	0.08	7.48	-32.6	170.9 3	3.44 m	45.50266	-79.91458				
		3.44 m		17																			
	1656	5 m	10.8			736.8	72	8.2	176.6	128.3	5.67	0.1147	0.08	6.68	15	206.2							
	1701	9 m	8.2			736.5	19	23	183.6	124.7	5.43	0.1194	0.09	6.41	30	229.4							
			1		I	I		ı					İ			I	ı						i
2022																							
04-Jun-21																					9.4		
09-Oct-20																					9.3		
19-Jun-19																					8.9	<u> </u>	
18-May-18																					9.6	·	
23-May-17																					14.6		
24-May-16																					10.5	4.1	L

I McKellar Narrows, Manitouwabing Lake

nitou	ıwabing Lake	- McKell	ar Narro	ws, McK	ellar Townsl	secchi dep	th marked N	/A mea	ns the lak	e bottom is	visible fro	om the b	oat								#SPILL!
	Date	Time	Depth	Temp	Total Phos	Calcium	Barr Press D	00 D	0	SPC μS/cm	C μS/cm	K Ωcm	TDS g/L	Sal	рН	pH mV	ORP	secchi l	Lat	Long	Alt
th	D/M/Y	24 hr	m	°C	mcg/L MLCA	mg/L MLCA	mmHg %	6 n	ng/L		conductivity	, resistance		ppT			mV	m			
2.7	26-9-2025	1227	surface	19	< 2	5.8	739	82	7.4	53.6	47.4	18.65	0.0637			-6.9	126.8	na	45.50413	-79.91979	271.31
1.3	16-7-2025	1023	surface	27.2			737.5	102	7.8	39.5	41.2	25.29	0.0257	0.03	7.36	-23.3	87.9	n/a	45.49165	-79.91468	267.26
·	16-7-2025	1028	1		16		736.8	102	7.9	40.1		<u> </u>	<u> </u>	ģ				<u> </u>	43,43103	73.31400	207.20
	10 / 2023	1020	_	_,	10		700.0	102	7.13	40.1	7110	24.50	0.0201	0.00	7.30	31.0	32.14				
2.6	26-5-2025	1437	surface	19			742.5	102	9.2	54.1	47.8	18.49	0.0351	0.03			211.1	na	45.49163	-79.91482	274.34
	26-5-2025	1442	1	15.9	17	4.19	742.1	102	9.8	53.5	44.3	18.62	0.0349	0.03			192.6				
	26-5-2025	1445	1.8	15.4			742.2	97	9.5	46.6	37.9	21.57	0.0301	0.03			219.8				
2.5	26-9-2024	1619	Surface	20			743	90	7.9	133.7	121.5	7.47	0.0871	0.07	7.04	-13.8	117.9	2	45.4916	-79.91485	274.01
		1625	1	19.7	15	4.28	742.7	74	6.5	137.4	123.6						133.1	ļ			
		1628	2				742.6	75	6.7	140.8			ф	·				÷			
		,				I						1	1					1			
2.6	21-7-2024	1546	surface	26.7			737.9	93	7.1	53	54.7	18.85	0.0344	0.03	7.15	-21.5	134	2.29	45.49152	-79.9149	272.68
		1549	1	25.4			738.2	89	7	52	52.6	19.25	0.0338	0.03	7.19	-23.7	136.9				
		1553	2	25.2	12		738.2	72	5.7	124.1	125.1	8.03	0.0813	0.06	7.1	-18.4	139.9				
2.6	30-5-2024	941	surface	18.8			747.3	81	7.4	56.3	49.7	17.75	0.0366	0.03	7.17	-17.3	125.2	2.15	45.49159	-79.9148	272.41
	30-5-2024	944	1	18.5			747.7	77	7.1	56.1	49.1	<u> </u>			7.14	ļI	141.2	ļļ			
·	30-5-2024	950	2		14	4.92	ļ	79	7.4		48.8	<u> </u>	ļ	ļ			158.3	÷			
2	15-9-2023	1100	surface	19.5			747.1	75	6.8	134.2	119.6	7.46	0.087	0.07	6.92	-6.1	168.5	N/A	45.49157	-79.91497	275.38
	13-3-2023	1106	3u11ace 1	18.5	19	4.79	ļ	75	7.1	140.6						·	179.1	ļi	43.43137	-/3.3143/	2/3.36
		1111	2		19	4.79	747.8	75 76	7.1	140.3		‡		åi			186.7	ļ			
I		1111	2	10.4			747.0	70	7.1	140.5	122.0	7.13	0.0912	0.07	0.67	-2.9	100.7				
1.1	27-7-2023	1127	surface	26.3			733.6	88	7.1	130.9	133.8	7.65	0.0849	0.07	7.22	-11.8	201.8	N/A	45.49177	-79.91456	271.4
		1132	1	25.7	10		733.6	91	7.5	128.2	129.1	7.83	0.0831	0.06	7.34	-19.3	200.5				
		1		1								1	!								
2	31-5-2023	1723		26			738	93	7.5	150.8	153.4	·			7.26		204.7	 	45.49094	-79.91546	
		1733	1.5 m	20.2	13	4.36	737.7	101	9	169.2	154	5.91	0.1099	0.08	7.73	-45.7	194.7				
							***************************************	***************************************			Ms/c cm										
2.1	1-9-2022	1346	1	20.04				89.7	8.07		0.059		0.038	0.03	7.26		277.2				
				21.03	< 30			90.8	8.12		0.053	<u> </u>	0.034			ļ	260.7	ł			

J Luigis/Camp Rds, Manitouwabing Lake

	Date	Time	Depth	Temp °C T	otal Phos	Barr Pres	DO %	DO	SPC (C μS/cm H	Ωcm	TDS g/L	Sal	рН	pH mV	ORP	secchi I	Lat	Long	Alt
		24 h	(m)		ncg/L MLCA					onductivity r		J	ррТ				m	10		
5.4	26-9-2025		surface	19		740.6	97		······································	35.9	24.67	0.0264			······	·····	2.15	45.48549	-79.89099	273.72
	26-9-2025	1401	5	17.9	< 2	740.5	79	7.3	41.9	36.2	23.89	0.0272	0.02	6.94	-10	118.7				
7 1	16-7-2025	1205	surface	27		726.2	106	8.2	30.7	21.0	32.55	0.02	0.02	7 22	-15.4	102.4	1 62	4E 40E44	-79.89066	270.06
./.1	16-7-2025	1203	+	26.8	19	736.2 735.4	105	8.1		31.9 34.2	30.2	0.02		·····	-15.4	103.4	1.03	45.48544	-79.89000	270.96
	16-7-2025	1215	·	19.7	19	733.4	57	5	·····	27.3	33.06	0.0197	-		25.8	123.7				
	16-7-2025	1219	÷	9.5		733.6	54	5.9		20	35.26	0.0184		6.4	31.6	144.1				
	16-7-2025	1224	·	6.2		733.2	61	7.3		17	36.01	0.0181	·		31.3	153.1				
	1			1			,			1				,	1					
16.2	18-5-2025	1627	surface	16.4		734.2	97	9.1	27.8	23.2	35.94	0.0181	0.02			360.8	1.79	45.4857	-79.89045	269.69
	18-5-2025	1630	2	15.1	8	734.9	96	9.3	27.6	22.4	36.19	0.018	0.02			366.68				
	18-5-2025	1633	·	12.9		735.1	94	9.6		21.5	35.83	0.0181				377.7				
	18-5-2025	1637	·}	8.9		735	85	9.6	······································	18.8	36.84	0.0176	·····			390.4				
	18-5-2025	1640	15	6.5		734.9	80	9.5	27	17.5	36.94	0.0176	0.01			399.5				
47	20 0 2024	1530		10.0		720.2	00		122.0	111 0	0.00	0.0004	0.00	7.04	12.7	120	204	AE 40544	70 00000	272 40
1/	28-9-2024 28-9-2024	1520 1525	surface 3	19.9 19.1	22	738.3 737.1	90 76		123.8 126.4	111.8 112.1	8.08 7.91	0.0804		 	-13.7 -12.7	126 148.5	2.94	45.48541	-79.89039	2/3.48
	28-9-2024	1531	·	17.5	22	737.1	76 48		129.3	110.5	7.74	0.0822	-		14.9	164.5				
	28-9-2024	1536	 	12.9		737.2	3		156.3	121.4	6.35	0.1024			36	183.8				
	28-9-2024	1540	·	10.5		737.5	10		162.1	117.2	6.18	0.1024			25.2	185.1				
	28-9-2024	1544	·	8.9		737.1	28		171.6	118.6	5.84	0.1111			29.4	196.5				
	28-9-2024	1548	+	8.2		737	28		168.3	114.2	5.95	0.1093			28.9	198.2				
	,			1,,,,,,,,,,,						1										
7.5	21-7-2024	1730	surface	25.5		738.7	94	7.5	152.9	154.6	6.54	0.0996	0.08	7.23	-26.2	123.1	2.16	45.48525	-79.89076	269.47
	21-7-2024	1733	2.1	24.2	7	738.6	81	6.5	136.6	134.2	7.33	0.0885	0.07	7.17	-22.2	134				
	21-7-2024	1737		23.2		737.9	57		134.9	130.1	7.42	0.0875			-1.2	152.4				
	21-7-2024	1740	·	12.5		738	30		149.5	112.9	6.71	0.0963			24.8	183.5				
	21-7-2024	1744	÷	10.9		737.9	36		149.6	109.1	6.7	0.0968		************	22.7	198.3				
	21-7-2024	1747	16	8.9		738.1	39	4.4	155.3	107.4	6.46	0.1006	0.07	6.37	22.1	206.7				
16	26-5-2024	1227	surface	20.4		734	101	8.9	34.1	31.1	29.34	0.0222	0.02	7 22	-20.1	179.4	2.2	15 18550	79.88078	274 75
10	20-3-2024	1342	+	18	17		93	8.5		30.4	28.41	0.0228	·		-13.9	170.7	2.3	43,46333	73.00070	2/4./3
		1348	+	13	1/	733.2	86	8.8		44.8	17.29	0.0375			3.5	186.3				
		1352	·	8.8		733.1	85	9.5		63.5	10.88	0.0594			9.9	200.1				
		1356	+	10.6		733.7	66		196.9	142.9	5.08	0.1277			11.8	193.9				
																,				
18	11-9-2023	1148	surface	22.9		742.7	92	7.9	122.5	116.8	8.15	0.0797	0.06	7.26	-25.9	125.3	3.08	45.48529	-79.89054	272.62
		1151	2	21.5		742.1	87	7.9	120.4	112.5	8.3	0.0784	0.06	7.23	-24.5	139.5				
		1200	·		18															
		1156	÷	21.3		741.9	88		119.6	111.1	8.37	0.0777		+	-19.2	158.7				
		1204	·	19.2		741.4	58		120.1	106.8	8.33		0.06		14.9	194.2				
		1207	t	12.8		740.9	7		129.7	99.2	7.71	0.0842			39.5	219.1				
		1210	·	11		740.3	11	1.2		95.3	7.69	0.0844			38.6	219.3				
		1213	+	9.4		739.6	24 30		139.2 140.1	97.5	7.19	0.0903			36.2	221.6				
		1215 1218	·	8.5 7.7		739.3 738.5	30		140.1	95.8 94.2	7.15 7.1	0.0908			35 34.8	225.5 230.7				
		1218	+	7.2		737.8	27		156.4	103.4	6.36	0.1027		······	······					
	ı		10	,		,5,.8		5.5	100.7	100,7	0.00	0.1027	0.07	2.27	-1. /					
0.1	27-7-2023	1212	surface	25.7		732.4	93	7.6	115.3	116.8	8.67	0.0749	0.06	7.37	-20.7	223.7	2.73	45.48452	-79.89112	272.62
		1215	2.73 m		8	******************************														
		1220	5 m	18		733.7	34	3.2	121.1	105.1	8.27	0.0787	0.06	6.4	36.4	262.1				
			10 m	10.8		733.6	35	4		94.2	7.78	0.0836			39.1					
			15 m	7.6		733.9	50	6		87.5	7.63		0.06		35.7					
		1234	19m	6.8		734.1	45	5.5	154.7	100.4	6.46	0.1007	0.07	6.36	37.4	267.8				
0.7	21 /5 /2022	100-		24.0		720.0	67	7.0	145 5	145.4	C 07	0.0045	0.07	7 44	20.4	200 -	2.2			274 25
18.3	31/5/2023	1805	surface	24.8	^	738.2	97	7.9	145.5	145.1	6.87	0.0946	U.U7	7.44	-30.1	208.7	2.2	45.48513	-79.89083	271.23
		1812	2.2 5	14.9	8	738.3	84	Q A	164.4	131.8	6.12	0.1061	U Uo	6.05	-0.05	240.7				
		1812	ļ	9.9		738.3	84 69		164.4	115.3	6.17	0.1051			-0.05					
	<u> </u>	1821	·	8.3		738.7	67		162.5	110.5	6.17	0.1055	·····		22.5	263				
		1829		7.7		738.9			161.6	10.3	6.18	0.1054								
				,			-				5.10		2.30			123.3				
									ı	Ms/c cm										
9	30/8/2022	933	surface	23.18 <	30		99	8.45		0.038		0.025	0.02	7.09		251.7				
		931	4m	23.1			86.2	7.53		0.038		0.025	0.02	6.99		217.4				
							-	2.45	100000000000000000000000000000000000000	0.036	000000000000000000000000000000000000000	7 57 67 70 60 70 70 70 70 70 70	0.02		70000000000	241.8	Charles and a second			



K Inn Rd (Lona Bay), Manitouwabing Lake


Manitouwabing	A STATE OF THE PARTY OF THE PAR			Control of the Contro		The same of the same of			Canada										
ite Date					Barr Pres							and the same of		Annual Control	ORP		Lat	Long	Alt
lepth D/M/Y	24 h (m)	mcg/	L MLCA	mm Hg		mg/L	μS/cm	conductivity	resistance		ррТ		mV	mV	m			L.
0 2 26 0 202	E 1420	urfo -	10		740.0	02	0.4	1 400	11 1	24.20	0.0204	0.00	7 10	247	127.0	2.4	AE 40212	70 00000	272.0
8.2 26-9-202 26-9-202			19 18.1	<2	740.8 740.8			46.8 L 39.8			0.0304				÷	†	45.48313	-79.88063	272.6
20-9-202	5 1430	5	10.1	~2	740.8	//	7.1	59.8	54.5	23.15	0.0238	0.02	0.80	-3.0	11/.5				I.
8.8 18-7-202	5 1226 9	urface	25.5		743.3	100	9	3 29.7	30	33.65	0.0193	0.02	7.12	-8.9	117.6	1.72	45.48314	-79.88063	271.89
18-7-202		2	25.2	16	743.5			38.8	†		0.0242				121.1		.5.10524		_, _,
18-7-202		4	24.7		743.4	86		7 29.9	ļ		0.0194		i		123.4	†			
18-7-202		6			742.6			7 29.8	·		0.0193				144.3				
18-7-202		8			742.5	·····		46.5			0.0303				÷	÷			
								1								le.			A.
8.8 18-5-202	5 1704 s	urface	17		736.7	98	9.2	27.1	23	36.92	0.0176	0.02			361.5	2.12	45.48303	-79.88055	269.27
18-5-202	5 1709	2	16.3	12	736.1	98	9.2	2 27	22.6	36.98	0.0176	0.02			362.3				
18-5-202	5 1712	5	10.5		736	89	9.4	27.2	19.7	36.7	0.0177	0.02			388.9				
18-5-202	5 1716	8	8.8		736.2	37	4.2	40.3	27.6	25.6	0.0253	0.02			409.8				
	1	1						T									1	1	r
8.5 28-9-202			20.2		738.2				110.2		0.0788		i		†	†	45.48541	-79.89039	273.48
28-9-202		2	19.1	7	737.4	80		124	·		0.0806				157.7				
28-9-202		4	18.9		736.6	·····			111.1		0.0816				159.5	<u> </u>			
28-9-202		6			735.5			145.9			0.0945				169.1				
28-9-202	4 1624	8	16.3		735.4	4	0.4	168.5	140.5	5.93	0.1098	0.09	6.66	7.3	-51.5				
1-				1		1		-1	1		1				1	ľ.		1	
8.8 21-7-202			25.4		739.6	*		96.9	·		0.0633				151.4	÷	45.4832	-79.8807	271.25
21-7-202		1.8	24.4	9	739.5			108.7	÷		0.0707				157				
21-7-202	·······	4	23.4		739.5			127.9			0.083				171	†			
21-7-202		6			739.2				111.2		0.0885				189.1				
21-7-202	4 1824	8	14.1		739	12	1.2	145.9	115.4	6.86	0.0948	0.07	6.56	11.3	37.6		l		E .
300	a a = =		20.7	1	4	1	2 1				0.00=				4===		AF 4555	70.000	
7 26-5-202			20.7		736.1	95		38.6			0.0251				153.8	<u> </u>	45.48321	-79.88091	273.38
26-5-202		2.5	17.5	14	735.7	91		39.1	†		0.0255				174.6				
26-5-202		4.5	14.5		734.8	82		52.6	ļ		0.0341		1		187.7	†			
26-5-202	4 1314	6.5	9.9		734.4	64	7	53.1	37.7	18.88	0.0344	0.03	6.55	18.6	205.9				
0 15 0 202	2 1211	urfor-2	1.1		745.0	O.F.	0.4	1 110 2	110.1	0.30	0.0775	0.00	7.1	100	177	2.02	AF 40240	70 00070	260.04
8 15-9-202	·····				745.3	95		-	110.1		÷						45,48319	-79.88072	208.81
15-9-202	·		20.6		744.7	88		120.1			0.0781				1	†			
15-9-202		2.63	20.2	21	744.4	81	7.4	+ 120.4	109.5	8.3	0.0783	0.06	7.09	-16	T33'P				
15-9-202 15-9-202			20.1	21	7// /	90	7 7	120.6	100.2	0 20	0.0784	0.06	7.04	_12.0	211.1				
15-9-202		4 6	20.1 19		744.4 744.2	80 54		·	109.2 114.2		0.0784				230.8			l	
15-9-202		7.75	16.9		744.2			129.4 L 149.9			0.084					t			
13-9-202	5 1332	7.75	10.5		744.3	10	1	149.9	120.7	0.04	0.0302	0.07	0.49	10.0	-10.0		l		I
6.9 27-7-202	3 1257	urface	25.7		734 3	90	7.4	1 147 2	149.5	6.78	0.0964	0.07	7 42	-23 Q	21/	2 12	45,48335	-79.88064	271.5
27-7-202			23.7	4	/34.3	30	7.4	. 14/.2	143.3	0.76	0.0304	0.07	7.42	23.9	214	2.13	75,40333	73.00004	2/1.3
27-7-202		3	24	4	732.3	70	6.6	170 4	167.3	5 27	0.1108	0.08	7 02	U 3	225 /				
27-7-202		6			732.3			·	164.6		0.1108				251.6				
21 1-202	- 1307	U	13,3		,32.4	21	2.1	202.4	104.0	7.57	0.1314	5.1	5.51	71.3	231.0	ı			
7.1 31-5-202	3 1850	urface	26.5		739.6	94	7.6	144.9	149.3	6.89	0.0944	0.07	7.3	-21.7	231.3	2.75	45.48312	-79.88082	273.09
31-5-202				14	, 55.0	- 1	,		5.5	0.00	2.2514	,	,.5	,					_, _, _,
31-5-202			13.2		739.5	71	7.5	163.4	126.9	6.08	0.1072	0.08	6.71	13.3	251				
1-2 5 252	= 355 6			1	, 55.5	7-1				2.30			,-			1		1	I)
									Ms/c cm										
3.2m 28-8-202	2 1221 s	urface	23.32 < 30			101.6	8.67	7	0.038		0.025	0.02	6.94		210.9				
28-8-202			22.83				8.2	- 	0.038				6.83		195.5				
28-8-202			22.35			•	6.73		0.038		+		6.64		142	·			
28-8-202			21.14			43.5			0.038		÷		6.45		98.9				
			15.02 < 30						0.047		†	0.02			-7.2				
28-8-202	2 1215	/	13.02 \ 30			3.5	0.31	L	0.047		0.020	0.02	0.43		1.2	1		1	I .

L Great Bay, Manitouwabing Lake Part 1

	- Great Time 24 h			Total Phos		DO %		SPC μS/cm	C μS/cm conductivity		TDS g/L	Sal ppT	рН		ORP mV	secchi m	Lat	Long	Alt
36 24-9-2025	849	surface	19		744.6	93	8.4	40.4	35.7	24.78	0.0262	0.02	7.32	-31.7	157.4	2.3	45.47527	-79.9002	269.3
24-9-2025	901	2.3		<2															
24-9-2025	855	5	18		744.8	77	7.2	39.9	34.6	25.05	0.0259	0.02	6.62	8.2	182.8				
24-9-2025	858	10	10.6		745.1	12	1.3	37.2	27	26.87	0.0242	0.02	6.1	36.8	191.7				
24-9-2025	902	15	7		744.9	35	4.2	35.2		28.45	0.0229	0.02	6.11	35.9	215.1				
24-9-2025	906		5.8	·	745.1	35	4.3	35.3		28.51			6.1	36.1	234	÷			
24-9-2025	910		5.4	·	744.9	26	3.2	36.1		27.92	0.0234			36.6		•			
24-9-2025	916	30	5.3	6	744.5	19	2.3	36.9	23.1	26.72	0.0237	0.02	6.11	35.9	247.4	-			
36.2 15-7-2025	925	surface	26.1		742.1	95	7.5			33.61				-10.5	76.3	1.98	45.47533	-79.89996	267.62
15-7-2025	931	2	25.7	15	741.2	89	7	29.8		33.53				-6.1		·			
15-7-2025	936	5	20.3		740.8	59	5.2	30.4		32.98				28.6		·			
15-7-2025	940		9.5	 	739.8	51	5.6	28.1		35.54				38.1					
15-7-2025	945	15	6.7		739.8	66	7.9	27.3		36.67	0.0178		6.34	34.4					
15-7-2025	950 955	20	5.8	 	739.7	66	8.1	26.3		40.21		0.01	6.32	34					
15-7-2025 15-7-2025	1000		5.4 5.2	·	739.8 738.9	62 58	7.7 7.1	38.3 27.5		27.26 36.64			6.36 6.29	34 37		÷			
33.7 27-5-2025 27-5-2025	1011	surface 2.6	17 14.8	 	746.2 745.8	99 98	9.4 9.7	33 33.4	·	30.31 30.01	0.0215 0.0217				219 220.6	 	45.47534	-79.89962	268.57
27-5-2025	1015	2.0 5	13.8	<u> </u>	745.8	98	9.7	34.3		29.18					233.8	÷			
27-5-2025	1020	10	8.2	ł	745.5	75	8.7	33.3		29.18					285.6	 			
27-5-2025	1033	15	6.1		745.4	74	9	32.5	·	30.75					289.5	÷			
27-5-2025	1039	20	5.4		745.4	72	8.9	32.7	\·	31.12					286.5	 			
27-5-2025	1046	25	5.2		744	72	8.9	33.6		30.78					284.8	÷			
27-5-2025	1051	30	5	12	744.2	69	8.7	33.9	20	30.31	0.0211	0.02			282.6	l			
37.5 17-10-2024	030	surface	13.9		752.5	80	Q 1	126.6	99.7	7.0	0.0823	0.06	6.05	-8 6	108.4	2 75	45.47532	-79,8998	272.2
17-10-2024	938	2.75	13.9	17	132.5	٥٥	0.1	120.0	39.7	7.9	0.0023	0.00	0.95	-0.0	100.4	2./3	45.4/332	773.0998	212.2
17-10-2024	944		14		752.6	74	7.6	158.9	125.7	6.28	0.1037	0.08	6.95	-8.4	136.9				
17-10-2024	948		13.3	·	752.4	61	6.4		215.2	3.6			6.67	7.4		÷			
17-10-2024	952	15	9	ł	752.4	24	2.8	538		1.87	0.3472			29.1		·			
17-10-2024	956		8.1		752.6	22	2.6	598		1.67	0.3912		6.25	30.2					
17-10-2024	1000		7.5		753.2	13	1.5			0.97	0.672		6.25	30.3	270				
17-10-2024	1005	30	7.4		752.8	9	1			0.92	0.705			29.8		†			
33.1 12-10-2024	1450	surface	16.5		744.3	87	8.3	128.5	107.5	7.75	0.0834	0.06	6.88	-5.2	136.4	2.54	45.47498	-79.89954	267.22
12-10-2024	1503	2.4	16.3	ł	744.1	81	7.7			7.73				-8.2		·	43.47496	-79.09934	207.23
12-10-2024	1506	5	16.2		743.9	77	7.4		·	7.6				-8.2		÷			
12-10-2024	1510		12.3	 	743.5	5	0.5		119.1	6.35	0.1024		6.2	33.6		•			
12-10-2024	1514	15	9.6		743.7	23	2.6	278.9	196.2	3.6	0.1796	0.13	6.21	32.8	243.3				
12-10-2024	1518	20	7.6		743.3	21	2.4	285.6	191.4	3.48	0.1867	0.14	6.18	34	264.5				
12-10-2024	1522	25	7.3		743.1	12	1.5		·	3.71			6.21	32.4					
12-10-2024	1526	30	7.2		742.9	8	0.9	263.5	173.5	3.83	0.1691	0.12	6.24	30.6	281.9				
36.2 27-9-2024	1632	surface	20.6		736.1	91	8	127.5	116.7	7.87	0.0824	0.06	7.1	-17.6	123.5	3,49	45.47532	-79.89987	271.6
27-9-2024	1628	5	19.1	†	736.3	86	7.6			7.93	0.082			-9.4		÷	13117302	73.03307	27210
27-9-2024	1624	10	12.3	ł	736.2	5	0.5			7	0.093		6.26	30.4		·			
27-9-2024	1620	15	9		736.4	31	3.5	256.2	178.3	3.9	0.1667	0.12	6.27	29.3	146.5				
27-9-2024	1616	20	7.3		736.5	34	4	336.5	222.7	2.97	0.2188	0.16	6.27	28.9	153.9				
27-9-2024	1611	25	6.8	t	736.4	28	3.3		238.2	2.75	0.2362		6.26	29.6		 			
27-9-2024	1606	30	6.6		736.8	22	2.6	397.6	259.3	2.5	0.2608	0.19	6.26	29.6	170.5				
36.2 22-9-2024	1247	surface	22.4		736.2	103	8.7	134.2	127.6	7.45	0.0872	0.07	7.47	-39.3	141.4	2.55	45.47524	-79.89982	274.68
22-9-2024	1250		20.2		736.1		7.4		129.3	7.02			7.06			÷			
22-9-2024	1254		17.9	 	735.9	57	5.2		126.9	6.81			6.71	5.3		 			
22-9-2024	1257	9	12.2	†	735.7	6		171.4		5.86					181.1	<u> </u>			
22-9-2024	1300	12	10.4		735.2	16	1.7	176.2	127.4	5.66	0.1152	0.08	6.24	31.3	191.8				
22-9-2024	1303		8.9	·	735.2	26	2.9		123.4	5.62				27.7		†			
22-9-2024	1306				735.4		2.7			5.66				27		÷			
22-9-2024	1309		7.2		735.4		4.1			5.69					203.1	†			
22-9-2024	1312	ļ		†	735.7	29	3.5			3.56				29.5		÷			
22-9-2024 22-9-2024	1315 1319		6.7 6.6		736 736		3.1 2.8	289.8 287.5		3.46 3.48				29.9 29.8	203.9	·			
22 3 2024	1313	30	0.0		,30	24	2.0	207.3	107.1	5,40	3.1070	0.14	0.23	25.0	204.7				
35.7 18-7-2024	1628	surface	24.4		741.6	94	7.7	39.5	39.1	25.31	0.0257	0.03	7.23	-25.7	101.9	1.436	45.4752	-79.89873	276.31
18-7-2024	1633	1.3	24.9	11	741.5	83	6.8	41.3	41.2	24.24	0.0268	0.03	7.23	-26.1	117				
18-7-2024	1637	5	16.3		741.5		2.7			6.68									
18-7-2024	1641	10	11.4		741.4		3.6			6.69					185.7	·			
18-7-2024	1644		9.2		741.2	40	4.5			6.74			6.4	20.5		†			
18-7-2024	1647	20	8	†	740		4.2			6.88						•			
18-7-2024 18-7-2024	1652 1656			† -	739.2 738.4		3.9	149.3 147.8		6.62 6.69					223.3 222.8	†			
20 / 2024	2030	50	,.4		, 50.4	32	3.7	2 17.10	50.5	0.03	5.5505	5.07	0.5	20	0				
		surface	18.2	·	743.9		9.1			26.81					141.3	·	45.47528	-79.89901	272.47
	1047		18.5		742.1	90	8.2			14.35					155.1	†			
29-5-2024			14.6	1	740.9	73	7.2	78.3		12.79					178.6	!			
29-5-2024 29-5-2024	1051			 	740 -														
29-5-2024 29-5-2024 29-5-2024	1051 1056	10	11.2		740.6		7.4			11.62					202.9				
29-5-2024 29-5-2024 29-5-2024	1051 1056 1100	10 15	11.2 9.7		740.8	71	7.9	91.9	64.9	10.89	0.0593	0.04	6.66	10.9	228.8				
29-5-2024 29-5-2024 29-5-2024	1051 1056	10 15 20	11.2					91.9 91.7	64.9 63.6		0.0593 0.0597	0.04 0.04	6.66		228.8 236.1				

L Great Bay, Manitouwabing Lake Part 2

	<mark>anitouwabir</mark> Data	0,			Great Bay	Dar D	DO 94	DC	SDC	Cuclen	V 0	TDC -/	Col	nll	nU.	OPD	so selet	Lot	long	۸۱+
Site	Date	Time		Temp °C	Total Phos					C μS/cm		TDS g/L		pH		ORP	secchi	Lat	Long	Alt
lepth	D/M/Y	24 h	(m)		mcg/L MLCA	mm Hg		mg/L	μS/cm	conductivity	resistance		ppT		mV	mV	m			
																	1			
6.4 m	10-9-2023	952	surface	21.7		746.8	90	7.9	119	111.4	Q /l1	0.0773	0.06	7.2	-22.5	156.2	2 62	45.47518	-79.8989	271 52
0.4 111	10-9-2023	858		21.7		746.8	84	7.3		111.4	·	0.0773	••	7.21	-23.2		÷	43,47310	-73.0303	2/1.32
	10-9-2023	900		21.6		746.8		7.3		111.2		0.0772		7.23	-23.2	172				
	10-9-2023	902		21.5		746.9	84	7.3 7.4		110.7	ļ	0.0771		<u> </u>	-21.5					
	10-9-2023	929		21.3	13		04	7.4	110.7	110.7	0.43	0.0772	0.00	7.10	-21.5	102.1				
	10-9-2023	905		21	13	747	76	6.0	118.8	109.9	2 /12	0.0772	0.06	6 80	-/1 1	192.9				
	10-9-2023	907		20.7		747	71	6.5		109.3		0.0774		6.79	1.4					
	10-9-2023	909		19.2		746.9	56	5.2		112.5	ļ	0.0774		6.52	17.4		÷			
	10-9-2023	912		15.2		740.9	6	0.6		112.3		0.0823		6.13	39.3					
	10-9-2023	914	8	12.2		747	7	0.8		107		0.0886		6.12	39.2					
	10-9-2023	917		11.4		746.9	9	0.8		100.3		0.0881		6.13	38.7					
	10-9-2023	920		10.9		746.9	12	1.4		98.8	·	0.0879	·	6.13	38.6		· 			
	10-9-2023	923	11	10.3		746.6	16	1.4		97.4		0.0879		6.14	38					
	10-9-2023	927	12	9.6		746.3	24	2.7		96.1		0.0885	·÷·····	6.16	36.7		·			
	10-9-2023	929	13	9.1		746.1	25	2.9		95.2		0.0887	·	6.16	36.4					
	10-9-2023	932	14	8.3		746.1	33	3.8		94.1		0.0895		6.18	35					
	10-9-2023	934	15	7.6		745.6		4.2		93.2		0.0994		6.19	34.6	253.1				
	10-9-2023	937		7.3		745.3	35	4.2		92.8	·	0.0904	·	6.19	34.7					
	10-9-2023	940		6.9		744.8	33	4.2		91.6		0.0900		 	34.8					
	10-9-2023	943	18	6.7		744.8	33	4.1		91.0		0.0912	·÷····	<u> </u>	34.6		·			
	10-9-2023	946		6.5		744.7	31	3.8		91		0.0915				274.7	ļ			
	10-9-2023	949		6.4		745	31	3.8		109.1	ļ	0.0313		6.16	36.1		·			
	10-9-2023	954	20	6.3		745.1	28	3.4		159.4		0.1108		6.15	36.9					
	10-9-2023	957	21	6.3		 	25 25	3.4			·	0.1674	··•	 						
	10-9-2023	957		6.2		745.3 745.3	25	2.7		163.3 167	3.85			 	37.6 37.9					
	10-9-2023	<u> </u>		6.1		İ						0.1704	·•	6.12			·			
	10-9-2023	1001 1005	24 25	6.1		745.4 745.3	19 18	2.4		167.1 188.1		0.1704			38.1					
	10-9-2023	·				745.3	17	2.2		191.3		0.1919	·• • ····	<u> </u>	38					
	10-9-2023	1009 1012	26 27	6.1		744.8	16	2.1		189.4		0.1901		 	38 38.2					
	10-9-2023	1012	28			744.8	15	1.8		192.3	·	0.1943	··	 	38.3					
	10-9-2023	1013	29	6.1 6		744.8	11	1.6		192.5		0.1982		 	38.6					
	10-9-2023	<u> </u>			24	·	9			192.5	ļ	·····	·•				÷			
	10-9-2023	1020	30	O	24	744.3	9	1.1	303.9	194.5	3.24	0.2013	0.15	0.12	30.0	290.0	1			
25.7	24-7-2023	1920	surface	25		738.1	94	7 0	108.5	108.6		0.0709	0.06	7 26	209.3		2.66	15 1752Q	-79.89846	271 95
33.7	24-7-2023	1817		23	16		94	7.0	106.5	100.0		0.0708	0.00	7.30	209.3		2.00	43,47326	-79.09040	2/1.03
		1815		15.1	10	738.1	30	3	222	179.1		0 1/22	0 11	6 22	253.2					
								4.3						 	253.4					
		1812 1809				738 737.8			249 274.5	179.7 186.8				<u>:</u>	257.4					
				·····										÷		····				
		1759				737.4		6.1		179.5	ļ	·····		:	246.1					
		1755		ł	11	737.1			284.5	182.8				 	251.3					
		1745	30	6.4	11	736	3	3.0	282.3	197.5		0.1991	0.15	0.25	264.1					
04.6	4/6/2022	1224	curf	22		720 1	00	0.6	112.1	107.7		0.0726	0.06	7.26	10E 6		2.04	4E 47E2E	70 00000	272 5
84.6m	4/6/2023	1234		23	9	738.1	99	8.6	112.1	107.7		0.0726	0.06	7.30	195.6		2.04	45.4/535	-79.90099	272.5
		1220	2.04		9		C C		127	07.0		0.004.4	0.00	6 5 5	234.7					
		1239				737.3		8		87.9	ļ	····		÷	·					
		1245		ļ		736.6		7.8						 	237					
		1250	30	5.7		736.5	55	6.9	315	199.6		0.204	U.15	0.41	233.1		l			
10 00	20/0/2022	1550	2	22.04			02.2	0.01		0.020		0.025	0.02	6.64	200.2					
!8m	29/8/2022	1					92.3			0.038			•••••••		290.2					
		1556		····			26			0.036				÷	312.6	····				
		1554					37.5			0.035		····	··•	÷	313.5					
		1553		ł				5.51		0.033			0.01	†						
		1552					41.1			0.032					304.8					
		1550	27	5.14	< 30		35.5	4.52		0.033		0.021	U.01	6.45	97.5					
			£																	



M Hurdville Arm, Manitouwabing Lake

Manitouwabing La	ke - Sunnvs	ide F		Hurdville	Arm														
Site Date	Time Dept					DO %	DO S	SPC	C μS/cm H	CΩcm	TDS g/L	Sal	рН	рН	ORP	secchi	i Lat	Long	Alt
depth D/M/Y	24 hr (m)			ncg/L MLCA					conductivity r							m			
14.9 24-9-2025			20.1		741.2		8.4	40.3	36.7		0.026					2.5	45.46674	-79.90139	272.6
24-9-2025	1606	2	18.7	<2	741.4		7.8	41	36.1		0.0266								
	1610	5	18		741.5		6.6	40.7	35.3		0.0289								
24-9-2025		9	9.4		741.5	0		58.4	41		0.0423								
24-9-2025	1620	13	8	23	741.4	1	0.1	68.1	46.1	14.68	0.0442	0.03	7.31	-30.8	-140.9				
11.6 15-7-2025	1147 curfo	60	26.7		735.7	101	7 0	31.8	32.9	21 /	0.0207	0.02	6 50	20.2	122.2	1 01	45 46709	-79.90125	272.21
	1152	2	25.7	18			7.6	32.3	32.8		0.0207					1.51	43.40708	-75.50123	2/2.21
15-7-2025		6	15.7	10	735.9		4.1	30.8	29.4		0.0201								
15-7-2025		9	8.8	22			0.6	30.5	21		0.0199								
25 / 2025	120.		0.0		, 65.5		0.0	55.5		02.70	0.0133	0.02	0.2.	1011	100.1				
15.1 19-5-2025	1533 surfa	ce	15.6		745.5	97	9.5	27.6	22.6	36.24	0.0179	0.02			366.7	2.43	45.46678	-79.9012	267.85
	1537	4	15.4	9	745.1		9.5	27.5	22.5		0.0179				367.3				
19-5-2025	1541	8	9.4		744.5			27.7	19.5		0.0181				416.7				
19-5-2025	1545	12	6.7	22	744.1	52	6.2	28.1	18.3	35.54	0.0183	0.01			444.6				
14.4 26-9-2024	1520 surfa	ce	21.8		736.6	94	8	125.8	117.7	8	0.0813	0.06	7.14	-20.1	153.5	2.05	45.46685	-79.90124	269.49
26-9-2024	1525	2	19.6	6	737.6	80	7.1	130.1	116.8	7.68	0.0847	0.06	7.12	-18.2	159.5				
26-9-2024	1528	4	19.4		737.8	82	7.4	148.4	132.5	6.74	0.0967	0.07	7	-11.9	156.7				
26-9-2024	1532	6	18		737.5	46	4.2	158.9	137.9	6.29	0.1034	0.08	6.58	12.8	167.8				
	1538	8	12.7		736.9		2.8	181.3	138.4		0.1174								
26-9-2024		10	9.6	27			1.2	190.8	134.9		0.1243								
26-9-2024	1546	12	9		735	13	1.4	207.3	146.1	4.75	0.137	0.1	6.85	-3.2	-121.1				
	455					ديو					0.00-				4		40	70.0	
14 18-7-2024			24.8		742.2		7.2	38.6	38.5							1.475	45.46684	-79.90121	271.34
18-7-2024		1.5	24.9	7	742.3		6.4	42.9	42.8		0.0279								
18-7-2024		4	24.3		742.3		5.2	135.2	133.4		0.0875								
18-7-2024		8	11.6		742.2		1.3	160.3	118.7		0.1026								
18-7-2024		12	9.6	59			0.1	159.7	112.9		0.1044								
18-7-2024	1013	14	9.4		741.9	0	0	163.6	114.6	0.12	0.1059	0.08	0.07	5.5	-53.0				
15.2 29-5-2024	1124 curfo	60	18.9		740.2	01	8.2	94.5	83.4	10.58	0.0615	0.05	7 17	-17 2	201.8	2.56	15 16657	-79.90139	268.08
29-5-2024		2.56	18.8	10	739.8		7.9	80.6	71.1		0.0524					2.50	43.40037	-75.50135	200.00
29-5-2024		5	14.6	10	738.8		7.4	82.7	66.4		0.0524								
29-5-2024		10	8.6		733.2		4.9	92.6	63.5		0.0599								
29-5-2024		15	8.3	23	733.3			90.5	61.7		0.0587								
23 3 202 1	1133	13	0.0		70010		Lio	30.3	0117	11.00	0.0307	0.01	0107	2710	LLJIO				
14 10-9-2023	1048 surfa	ce	21.7		743.4	88	7.6	118.8	111.4	8.42	0.0772	0.06	7.12	-18	217.7	2.63	45.46671	-79.90124	273.6
	1051	2	21.6		742.8			118.5	110.7		0.0771								
10-9-2023		2.63		16															
10-9-2023		4	21.7		742.6	78	6.9	135.1	125.6	7.36	0.0885	0.07	6.89	-4.2	221.3				
10-9-2023		6	19.3		741.9		4.8	187.6	166.3		0.1212								
10-9-2023	1102	8	12		741	1	0.1	216.5	162	4.63	0.1395	0.1	6.37	24.8	-7.8				
10-9-2023		10	9.5		740.1			216.3	152.7		0.1411								
10-9-2023	1113	12	9		739.8	0	0	260.8	181.3	3.83	0.1699	0.12	6.68	7.3	-119.3				
10-9-2023		14	9	29	739.6	0	0	262.3	182.4	3.81	0.1705	0.12	6.68	7.1	-131.2				
12.8 24-7-2023	1700 surfa	ce	25.7		734	94	7.6	116.5	117.8	8.6	0.0754	0.06	7.27	-15.1	169.5	2.34	45.46634	-79.90125	264.6
24-7-2023		2.34		6															
24-7-2023		4	22.4		734.2	79	6.9	116.4	110.7	8.55	0.0758	0.06	6.82	11.6	195.7				
24-7-2023		8	11.4		734.6	25	2.7	129.8	95	7.74	0.0839	0.06	6.22	45.8	235.1				
24-7-2023		11		20															
24-7-2023	1719	12	8.8		735.2	0	0.1	144	99.4	6.94	0.0938	0.07	6.69	18.8	-40.8				
										1200									
11.8 28-5-2023	1518 surfa		19.1		736.7	110	10.1	31.4	27.9	31.94	0.0203	0.02	7.35	-24.5	196.5	1.9m	45.4716	-79.90366	
28-5-2023		1.9		38			1000000	200-2002						No.					
28-5-2023		5	13.5		737.3			112.2	87.6		0.0725								
28-5-2023	1527	10	13.8	49	737.2	61	6.4	143.3	113	7.03	0.0923	0.07	6.57	21.2	246.4				
									N/s/s are										
12 5 20 00 2022	1626	60	22 70	20		102	0 60		Ms/c cm		0.025	0.02	6 00		206 7				
12.5 29-08-2022		ce	23.78	30			8.68		0.038		0.025				206.7				
29-08-2022 29-08-2022			22.48 10.8				7.31		0.038		0.025				172.6 118				
				. 30					0.035										
29-08-2022	1021 12M		9.86	- 30		9.4	2.01		0.085		0.055	0.04	0.08		-20.3				



N Hurdville Rd, LPP 23, Manitouwabing Lake


Site	Date	Time	Depth	Temp	Total Phos	Calcium	Barr Pres [00 % 1	00	SPC	C uS/cm	KΩcm	TDS g/L	Sal p	H r	ρН	ORP	secchi	Phos	Calcium	CI mg/L	Lat	Long	Alt
		24 hr			mcg/L MLCA						conductivity			ррТ		mV			mcg/L LPP					
5.8	19/5/2025	1439	surface	15			745.2	95	9.3	27.5	22.3	36.31	0.0179	0.02			368.2	1.55				45.4385	-79.90947	269.4
	19/5/2025		·····•	15			744.1	95	9.3		22.2	36.34	0.0179	0.02			368.6							
	19/5/2025	······•		11.9			744.1	84	8.9	27.4	20.5	36.38	0.0179	0.02			384.2							
5.5	29-5-2024	1235	surface	18.9			738.7	90	8	39.7	35.1	25.14	0.0259	0.02 7	7.11	-14	181.5	1.7	x	x		45.43811	-79.90968	275.6
	29-5-2024	1239	1.7	18.8	•		738.3	87	7.8	······	34.5	25.56	0.0255	0.02 7	7.11	-14	181.7							
	29-5-2024	1242	3	18.6			738.4	87	8	41	36.1	24.37	0.0267	0.02	7.05	-10	181							
	29-5-2024	1246	4.5	13.8			738.3	69	3.9	41	32.8	23.96	0.0272	0.02	5.62	13.9	194.7							
l0 m	28/05/2023	1358	surface	19.6			737.7	101	9.3	29.9	26.8	33.9	0.0194	0.02 7	7.19	14.6	186.3	1.4 m				45.43820438	-79.9098878	
			1.4		12																			
		1406	5m	14.3			737.4	86	8.7	30.5	24.3	32.75	0.0199	0.02	6.8	9	220.3							
		1411	9m	9			738.1	17	2	110.9	77	9.02	0.072	0.05	5.26	38.4	260.1							
	24-5-2022																	1.16	9.31	x				
	02-Jun-21																	1.55	11.5	4.1	0.5			
	10-Oct-20																		11.2	4.2	2.5			

O Hurdville Dam, Manitouwabing Lake

Date	Time I	Depth 7	Temp °C T	otal Phos	Calcium F	Barr Pres	DO % I	00 9	PC	C μS/cm K	Ωcm	TDS g/L	Sal	рН р	Н	ORP	secchi	Lat	Long	Alt
	24 hr r			ncg/L MLCA						conductivity re			ррТ				m		20116	7
pui D/W//i	24111 1	"	411	ICB/ L IVILCA	mg/L MILC# 1	inn ng	<u>'</u>	iig/ L P	LS/ CITI	Conductivity 16	esistance		ppi	- '	II V	IIIV	111			
2.9 24-9-2025	1026	urfaco	19			744.6	70	7.1	41.9	37	22.00	0.0272	0.02	6.05	-10.6	166.6	17	45 44002	-79.91977	271.5
	-			<2	4.5				41.6			0.0272						45.44092	-/9.919//	2/1.3
24-9-2025	<u> </u>	1	18.9	<2	4.5	744.6		7.2		36.8							ļ			
24-9-2025	1035	2	18.7	ļ.		744.3	77	7	41.2	36.3	24.22	0.0269	0.02	6.15	35./	214.4				L
2.3 15-7-2025	ļ		26			740.4	102	8	30	30.6		0.0195						45.44079	-79.91961	249.18
15-7-2025		1	25.3	15		738.9	95	7.6	30.2	30.4		0.0197			-10.4	88.9	ļ			
15-7-2025	1105	2	24.9			738.5	87	7.1	31.2	31.1	32.05	0.0239	0.02	6.96	6.8	101.4				
1				·			- 1							-				F	1	1
1.7 19-5-2025	1419 9	urface	14.7			747.4	······	9.6	27.3	22		0.0178				375.8	n/a	45.44111	-79.91944	270.57
19-5-2025	1428	1	14.7	10	3.98	746.6	95	9.5	27.3	22	36.56	0.0178	0.02			373.6				
2.7 27-9-2024	1423 9	urface	21.5			738.7	87	7.3	132.6	123.4	7.55	0.0861	0.07	7	-11.7	125.8	2.7	45.44122	-79.91985	272.87
27-9-2024	1428	1	19.5	12	4.48	738.3	76	6.9	130.1	116.4	7.69	0.0846	0.06	7	-11.7	133.4				
27-9-2024	1432	2	19.1			738.4	77	6.9	133.3	118.1	7.51	0.0864	0.07	6.98	-10.4	138.8				
			37																	
3 18-7-2024	1500 s	urface	24.7			742.1	86	7	38.8	38.7	25.72	0.0253	0.03	7.01	-13.3	123.9	1.465	45.44119	-79.91972	272.91
18-7-2024	1506	1.4	24.3	10		741.1	79	6.5	109.1	107.7	9.15	0.071	0.06	7.02	-14	109.7				
18-7-2024	<u> </u>	2.5	23.8			741.1			139.4	136.5	7.15	0.0913			0.06	95				
1	1	I.	1		E	1	-	1			.1			.1	- 1	I	I.	L	ı	1
3.2 29-5-2024	1304	urface	19.3	i		742.5	85	7.6	41.5	37	24.08	0.027	0.02	7.01	-8.5	179	1.91	45.44121	-79.91986	273.99
0.2 20 0 2021	1310	1.85	18.4	14	4.38	740.3		7.5	41.6	3604		0.0271				183.5		12.11	73.31300	270.00
	1314	2.5	17.8		7.30	739.5		6.9	41.9	36.1		0.0272				188.2				
	1314	2.5	17.0			733.3	75	0.5	41.5	30.1	23.00	0.0272	0.02	0.03	1.5	100.2				
I			- 1							1	1									1
2 4 10 0 2022	1200		21.7	Î		741 7	102	0.0	117.6	110.1	0.5	0.0765	0.06	7.02	11.0	1616	1.04	AF AA110	-79.91981	271 22
2.4 10-9-2023	<u> </u>		21.7			741.7	·····			110.1								45.44118	-/9.91981	2/1.32
10-9-2023	<u> </u>	1 01	21.1	47	4.50	741.2	82	7.3	116.7	108.1	8.57	0.0758	0.06	7.01	-11.3	170.4				
	1212	1.94		17	4.53															
10-9-2023	1217	2	21			740.7	81	7.2	116.3	107.5	8.59	0.0756	0.06	6.96	-8.5	170.3				
1	1	T.	1	ï		1	1						1	1	1		Ē	ř.	1	
2.6 24-7-2023	<u> </u>		26.4			735.5	86	6.9	114	116.9	8.78	0.0736	0.06	7.19	-9.9	163.3	1.55m	45.44073	-79.91982	273.25
	1544			6																
	1548	2 m	25			733.4	87	7.3	116.5	111.5	8.96	0.0725	0.06	7.17	-8.7	179.3				
			- 20												1/4					
2.9 28/5/2023	1320 9	urf	18.6			739.6	95	8.6	30.8	27.1	32.47	0.02	0.02	7.24	-17.5	161.2	1.36	45.44119	-79.91987	266.63
		1.36		18	3.84															
	1326 2	2 m	15.3			739.1	90	9	30.6	24.9	32.71	0.0199	0.02	7.1	-9.7	175.5				
-			110															No.	A .	
										Ms/c cm										
5.4 1/9/2022	1353	urface	21.71 <	30	4.75		86.5	7.61		0.04		0.026	0.02	6.86		312.8				
, , , , , , , , , , , , , , , , , , , ,	1351	2	20.74				78.4			0.039			0.02			314.3				
	1350		20.32				80.6			0.039			0.02	•••••••••••••••		309.4				
	1330	7	20.32			<u> </u>	00.0	7.23		0.033		0.020	0.02	7.05		303.4	<u> </u>	1	L	L

P South Tait, Manitouwabing Lake

lanitouwabing La	ke - Soι	uth Tait, M	cKellar To	wnship, C	Ontario, C	anada													
e Date	Time	Depth 1				DO %		SPC	C μS/cm		TDS g/L		рН	рН	ORP	secchi	Lat	Long	Alt
epth D/M/Y		m	n	ncg/L MLC	A mm Hg	SI .	mg/L	μS/cm	conductivity	resistance	1	ppT		mV	mV	m	1		i.
14.1 24-9-2025		surface	19.4		742.5	96	8.6	41.3	36.9	24.17	0.0337		·		131.9	2.1	45.4718	-79.9191	275
24-9-2025	1434		18.8	< 2	742.1	89	8.1	40.4	35.6	24.76	0.0262	· † · · · · · · · · · · · · · · · · · · ·	+	!	128.3				
24-9-2025	1438	·····	17.8		741.8	72	6.6	49.4	42.5	24.79	0.0262	·}	·	<u> </u>	144.7				
24-9-2025	1411		11.1		741.2	3	0.4	39	28.7	25.66	0.0253	·			172				
24-9-2025	1451	13	9.4	25	741.3	2	0.02	86.4	60.8	11.71	0.0567	0.04	7.39	-35.6	-91.9				
					,					į.		,							
15.7 18-7-2025	1047	surface	24.9		743.7	99	8	30.1	30	33.26	0.0195	0.02	7.25	-16.4	113.8	2.02	45.4715	-79.91867	262.6
18-7-2025	1051	2	24.8	14	743.1	97	7.9	30.3	30.1	32.99	0.0197	0.02	7.24	-15.9	116.1				
18-7-2025	1057	5	20.1		741.8	52	4.6	32.6	29.5	30.72	0.0211	0.02	6.54	24.6	129.7				
18-7-2025	1102	10	9.5		741.7	42	4.7	35.5	25	28.18	0.0231	0.02	6.31	36.7	161.3				
18-7-2025	1111	15	8.6	13	740.4	6	0.7	45.5	31.5	22.21	0.0295	0.02	6.93	1.8	-5.3				
											*							*	
15.3 27-5-2025	1119	surface	16.4		745.5	99	9.6	33.7	28.1	29.73	0.0219	0.02			217.9	2.79	45.47153	-79.91889	271.07
27-5-2025	1126	2.8	15	<2	744	94	9.3	34	27.5	29.37	0.0221	0.02			220.8				{
27-5-2025	1131		13.3		742	88	9	33.9	26.4	29.41	0.0221	·			238.3				
27-5-2025	1136		8.2		741.8	72	8.2	34.1	23.1	29.45	0.0221	·			265				
27-5-2025	1140		7.5	12	742	39	4.6	41.1	30.08	24.67	0.0265	·			268.9				
27 3 2023	1140	13	7.5	12	1742	133	14.0	41.1	30.00	24.07	0.0203	0.02			200.5		1		1
14 1 22 0 2024	1152	curface	22.5		726 E	100	0.1	120.6	132.8	7 16	0.0000	0.07	7.40	40.1	1246	2 00	4E 47226	-79.92022	271 22
14.1 22-9-2024		surface			736.5	100	8.4	139.6		7.16	0.0908	÷	÷	 	· 	2.00	43.4/220	-13.32022	271.23
22-9-2024	1156		22		735.6	99	8.2	141.7	133.7	7.05	0.0922	· † ······	·	<u> </u>	116.7				
22-9-2024	1159		20.6	<2	735.5	85	7.4	147.2	134.6	6.81	0.0954	·}	·	}	124.7		ļ		
22-9-2024	1203		18.4		735.2	62	5.6	150.3	131.5	6.65	0.0956	+		-0.5	136.6	-			
22-9-2024	1207		16.8		734.9	32	3	152.2	128.2	6.58	0.0987	·	·	ļ	154.2				
22-9-2024	1210		12		734.8	4	0.4	158.3	119.6	6.3	0.1033	·			156.7				
22-9-2024	1213	-	10.9	161	734.7	2	0.2	177.8	129.9	5.64	0.1151	0.08	6.31	27	77.5				
22-9-2024	1216	13	10.5		734.8	2	0.2	199.6	144.5	4.99	0.1302	0.1	6.75	1.9	-30.8				
								4											
11.1 22-7-2024	1543	surface	25.8		737.7	92	7.3	114.4	116.2	8.75	0.0743	0.06	7.23	-26.1	151.6	1.99	45.47029	-79.91977	265.41
22-7-2024	1547	1.98	24.5	11	738	79	6.4	115.8	114.7	8.64	0.0751	0.06	7.21	-24.7	149.3				
22-7-2024	1551	4	23.5		737.8	60	5	118	114.4	8.48	0.0766	0.06	6.93	-8.6	155.4				
22-7-2024	1554	6	17.2		737.5	27	2.6	128.9	106.3	7.8	0.0829	0.06	6.33	25.2	176.9				
22-7-2024	1558	8	11.9		737.3	21	2.2	135.9	106.3	7.24	0.0917	0.07	6.57	10.1	41.7				
22-7-2024	1602	10	11.7	26	737.3	23	2.4	145.6	108.7	6.86	0.0943	0.07	6.62	8.2	17.9				
						11.000		,		1		1					•	la.	
17.5 31-5-2024	1041	surface	19		746.2	96	8.7	39.8	35.2	25.15	0.0258	0.02	7.26	-22.5	165.2	2.45	45.47025	-79.91869	273.03
		2.5		11															
	1047	5	18.9		744.7	95	8.7	74.6	65.8	13.4	0.0485	0.04	7 27	-22.7	172.4				
	1052		11		744.2	73	8	81.2	59.4	12.33	0.0526				206.3				
	1052		9.5		743.6	67	·	82.1	57.8	12.19	0.0533	·	·		221.8				
			······································	24			7.4			+		·	ý	······	· · · · · · · · · · · · · · · · · · ·				
	1104	17	9	34	743.4	0	0.1	119.6	84.4	8.09	0.0797	0.06	6.91	-2.5	-59.8				l
						lee.									1.000				
11.5 11-9-2023		surface	21.9		743	89	7.7	121.1	113.9	8.26	0.0787	·			167.9	2.//	45.4/045	-79.91949	
	1046	 	21.7		742.9	79	6.9	121.1	113.2	8.26	0.0786	0.06	7.22	-23.7	180.7				
	1049			13		-													
	1051		21.2		742.1	75	6.7	121	112.3	8.26	0.0786	·	·		196.7				
	1056	6	18.8		741.5	44	4.1	123.7	109.2	8.09	0.0804	•	•	•	219.7				
	1102	8	12.9		741.4	4	0.4	133.5	101.1	7.61	0.0854	0.06	6.15	37.5	241.1				
	1108	10	10.9		739.9	0	0	158.3	115.9	6.32	0.1031	0.08	6.78	1.4	-36.8				
	1112	11	10.9	20	738.8	0	0	159.6	116.5	6.27	0.1036	0.08	6.82	-0.4	-56.1				
17.4 26-7-2023	1659	surface	25.5		735.5	90	7.5	116.2	117.4	8.61	0.0755	0.06	7.41	-22.9	171.4	2.53	45.46915	-79.918	268.53
	1659			< 2															Ì
	1702		13.9	0.00	735.2	28	2.9	126.9	100.4	7.86	0.0828	0.06	6.33	39.8	226.7				
	1710		10.3		735.1	26	2.9	167.2	120.2	5.98	0.1086	1	1	1	245.9				
	1721		9.2	8	734.3	2	0.2	183.7	128.1	5.46	0.1189	·	•		-83.4				
	_,	13	3.2	,	, 5 4.5	Ī				25	0.1103	0.00	0.00	20.7	23.7				
1			3		I.	1		1	I	I			1		3				
14 28/5/2023	1604	surface	19		737.1	108	9.9	32.2	28.4	31.07	0.0200	0.02	7.4	-27.2	102 2	2 08	45.47043	-79 01892	
14 20/ 3/ 2023	1004		13	1.1	/3/.1	108	3.3	32.2	20.4	31.07	0.0203	0.02	7.4	-21.2	152.3	2.08	43.47043	-73.31002	
	1613	2.08	47.0	14	707.0	70	7.	1117	04.0	0.04	0.0706	0.00	C 04	0	222.0				Į
	1612		17.2		737.2	78	7.5	111.7	94.8	8.94	0.0726				222.8				
	1617		12.1	40	738.1	59	6.3	117.3	88.8	8.51	0.0764	·	·	·	242.6				
<u> </u>	1621	13	11	19	738.5	43	4.7	121	88.4	8.25	0.0786	0.06	6.39	31.2	250.8				1
1		18	3		1		1	1				1			1		1	1	
						ļ			Ms/c cm			ļ	ļ						
10.7 1/9/2022	1237		15.83	< 30		22.8	÷		0.037			0.02	·		194.5				
	1239	6	20.82			72.9	6.45		0.038		0.025	0.02	·		245.2				
						04	7 20		0.38		0.025	0.02	6.87		260.7				
	1241	3	21.03			81	7.28		0.30		0.023	0.02	0.07	<u> </u>			L	<u> </u>	



Q Pine Point Trail, LPP 8, Manitouwabing Lake

ite	Date	Time	Depth	Temp	Total Phos	Calcium	Barr Pres I	00%	DO	SPC	C µS/cm	KΩcm	TDS g/L	Sal	рН	pH mV	ORP	secchi	Lat	Long	Alt
lepth	D/M/Y	24 h	(m)	°C	mcg/L MLCA	mg/L MLCA	mm Hg		mg/L	μS/cm	conductivity	resistance		ррТ			mV	m			
8.4	24-9-2025	1514	surface	19.4			741.1	96	8.6	40.4	36.2	24.72	0.0263	0.02	7.35	-34.5	88.9	2.4	45.46718	-79.91815	271.4
	24-9-2025	1520	2	18.5	< 2		740.9	83	7.6	40.4	35.3	24.79	0.0262	0.02	6.9	-8	120.9				
	24-9-2025	1524	4	18.2			740.7	77	7.1	50.7	44.2	19.65	0.0331	0.03	6.71	2.3	136.8				
	24-9-2025	1528	7	16.8			740.9	50	4.7	46.3	39.1	21.62	0.0285	0.02	6.18	34.5	166.5				
7.2	18-7-2025	1130	surface	25			742.7	100	8.1	30.2	30.2	33.1	0.0196	0.02	7.26	-17.4	88.6	1.85	45.4668	-79.91802	269.62
	18-7-2025	1134	2	24.7	5		742.1	97	7.8	30.2	30.1	32.87	0.0198	0.02	7.25	-17.1	95.8				
	18-7-2025	1139	4	24.3			741.5	89	7.4	30.5	30	32.87	0.0198	0.02	7.14	-9.7	107.4				
	18-7-2025	1144	7	12.5			742.6	30	3.1	29.5	22.4	33.93	0.0192	0.02	6.4	32.2	98.7				
	3					ž.							%		3						
7.7	4-6-2023	1145	surface	23.3			737.9	89	7.6	107.6	104	9.32	0.0698	0.05	7.28	-20.1	191.5	2.11	45.46683	-79.91813	269.65
	4-6-2023	1145	2.11		11																
	4-6-2023	1151	3	16.7			738.4	97	9.4	110.2	93	9.09	0.0714	0.05	7.21	-15.8	198.9				
	4-6-2023	1157	7	9.7			737.3	59	6.7	108.7	76.9	9.19	0.0707	0.05	6.47	26.7	157.7				

R Island Rd, Manitouwabing Lake

nitouwabing L				- 11		D.C.	na .	n.c	6 61	1/ 6	TDS /				222	111 412	19/10	*	4.4
Date	-				Barr Pres							Victoria de la Constantina del Constantina de la	рН	The second second	ORP	secchi	Lat	Long	Alt
th D/M/Y	24 hr	(m)		mcg/L MLCA	A mm Hg		mg/L L	iS/cm	conductivity	resistance		ppT		mV	mV	m			
4.6 24-9-2025	1254	curfoco	19.3		744.1	95	8.6	40.7	36.3	24 56	0.0265	0.02	7 10	-23.8	131.1	2.2	45.48288	-79.92403	271 11
24-9-2025		-	19.3	<2	744.1		7.7	40.7	36.3		0.0266		7.18		-		45.48288	-79.92403	2/1.11
	+	2 4		~2	+			40.5		†		*****************		ļ		 			
24-9-2025	1402	4	18.2		742.8	/0	7.1	40.5	35.2	24.72	0.0263	0.02	7.03	-15.3	134.8				
5.1 18-7-2025	1012	curfoco	24.6		745.3	97	8	30.6	30.4	22.65	0.0231	0.02	7 21	-13.4	00.6	1.97	45.48277	-79.92377	270 E4
18-7-2025	+		24.3	11		90	7.3	36.2	36.2		0.0231			-10.7	<u> </u>	-	43.46277	-19.92311	270.34
18-7-2025	+	2 4		11			7.1			-									
16-7-2025	1022	4	23.8		744	80	7.1	39.2	38.3	31.07	0.0197	0.02	0.99	-1.2	119.7				
5.2 27-5-2025	1204	curface	16.9		743	101	9.5	36.2	30.6	27 50	0.0235	0.02			218.8	2 52	45.48272	-79.92377	272 62
27-5-2025		2.6	14.5	9			9.5	37.7	30.2		0.0233				229.2		43.46272	-/9.925//	2/3.03
	-			9	-					<u> </u>		······				<u> </u>			
27-5-2025	1212	5	12.7		742.5	50	5.4	41	31.3	24.82	0.0262	0.02			256.3				
4 22-9-2024	1112	curfo	22.7		727.4	0.4	7.7	142 5	127 5	6.07	0.0933	0.07	7.24	21 7	111 4	2 22	45.48303	-79.92428	272.40
					737.4		7.7	143.5	137.5		0.0933		7.34		111.4	<u> </u>	45.48303	-79.92428	2/3.49
22-9-2024	+	1	22.6		736.9			144.7	138	†		······		ļ					
22-9-2024	-	2 25	22.5	-	736.4		6.9	145.4	138.5		0.0946			-31.2	 				
22-9-2024	-	2.25	21.6	3			7	146.6	137.4	1	0.0956	*************************		-17.2	 	·			
22-9-2024	÷	3	20		735.6			151.8	137	 	0.0987		6.87			!			
22-9-2024	1131	3.8	18.9		735.6	55	5	151.2	133.8	6.61	0.0983	0.07	6.71	5.4	109.9			1	
4 4 22 7 202 :	4500		25.5		700	0.4	-, .I	110	400.0	0.00	0.077	0.00		24.5	110 -	4 4 000	45 40000	70.00447	274.2
4.1 22-7-2024	+		26.2		738.4		7.4	119.4	122.3		0.0774	······································		ļ		·	45.48296	-79.92447	2/1.2
22-7-2024	-	1	24.8		738.4		7.1	118.9	118.4		0.0771			-29.9					
22-7-2024	+	1.9	24.4	5			6.1	119.2	117.8	<u> </u>	0.0774			-28.4		<u> </u>			
22-7-2024		3	24		737.8		5.4	120.6	118.2		0.0783			-19.7					
22-7-2024	1520	4	23.8		736.5	62	5.1	120.7	117.9	8.29	0.0786	0.06	6.88	-4	136.8				
	11				1					1		1		i	1	1	I	1	1
6.1 31-5-2024	+		18.8		746.9			39.4	34.8		0.0256			-2234	:	<u> </u>	45.48276	-79.92462	269.69
31-5-2024		2.3	18.7	14			8.3	74.8	65.7		0.0486			-21.5	<u> </u>				
31-5-2024	+	4	17.4		744.4			71.9	61.5	 	0.0468	-		-8.7	†	+			
31-5-2024	1020	6	11.8		743.8	16	1.7	90	67.4	11.1	0.0587	0.04	6.43	25.1	105.6				
	1 1				1					1					1	1	Fig. 1	1	1
5.4 11-9-2023	+		21.9		744.4			122.9	115.3	 	0.0796				143.9	 	45.4828	-79.92434	274.62
11-9-2023	+	1	21.6		744	86	7.7	121.6	113.8	 	0.0791			-21.9		 			
11-9-2023	1008	2	21.6		744	83	7.3	121.6	113.7	8.22	0.0791	0.06	7.19	-21.9	177.5				
11-9-2023	1011	2.67	37.00	8															
11-9-2023		3	21.4		743.3			122.2	113.8	 	0.0795			-15.4		-			
11-9-2023	+	4	20.9		742.9			123.1	113.5		0.0801			-4.6		 			
11-9-2023	1020	5	19.8		742.6	5	0.4	130.7	117.6	7.65	0.0849	0.06	6.31	29.9	209.5				
	1				1 _										1	1	T	1	1
5.6 26-7-2023			25.7		734.3	91	7.3	151.5	153.9	6.59	0.0988	0.08	7.4	-22.4	187.2	2.82	45.4827	-79.92451	269.22
26-7-2023	+	2.82		10															
26-7-2023		2	25.4		734.3			169.6	170.8		0.1102			-21.1	<u> </u>	·			
26-7-2023	1754	5	16.7		734.2	8	0.8	207.7	174.5	4.83	0.1344	0.1	6.31	41.8	240.9				
I .	1 1	1			1					1					1	I	i .	1	ī
5.9 4-6-2023	1105	surface	23.1		743.3	89	7.6	92.4	88.9	10.82	0.0601	0.05	7.44	-29.8	160.5	2.44	45.48272	-79.92471	274.1
4-6-2023	1105	2.44		6)														
4-6-2023	1111	3	17.1		742.4		9	103.1	87.5		0.0609			-12.4	÷	<u> </u>			
4-6-2023	1116	5	11.8		741.9	29	3	116.3	86.9	8.6	0.755	0.06	6.52	24.3	228.8				
	7				,												T.	4	7
							1	/Is/c cm											
10 2-9-2022	1619	9	21.36			3.7	0.28	0.039			0.028	0.02	6.79		98.9				
2-9-2022	1621	7	21.22			1.7	0.15	0.041			0.026	0.02	6.8		73.1				
2-9-2022	1613	5	21.79			88.8	7.77	0.039			0.025	0.02	7.14		267.2				
2-9-2022	1610	4	22.45			86.4	7.62	0.039			0.025	0.02	6.64		360.8				
2-9-2022	1608	2	22.29			92.2	7.99	0.039			0.025	0.02	7.08		335.8				
2-9-2022	1605	surf	22.69	< 30		96.4	8.33	0.039			0.035	0.02	7.22		321.4				

S Manitouwabing River Inlet

Manito	o wabing Rive	Inlet			McKellar Tw	ON	Canad	a												
Site	Date		Depth		Total Phos				SPC	C μS/cm	KΩcm	TDS g/L	Sal	рН	рН	ORP	secchi	Lat	Long	Alt
depth	D/M/Y	24 hr	(m)	°C i	mcg/L MLCA	mm Hg	r	ng/L	μS/cm	conductivity	resistance		ррТ		mV	mV	m			
5.6	5 23-9-2025		surface			740.5		7.9				0.0259						45.47214	-79.88501	273.01
	23-9-2025	1311		18.6	<2	739.9	80	7.3				0.0289								
	23-9-2025	1316	4	17.9		740.1	66	6.2	42.2	36.5	23.69	0.0274	0.02	6.82	-3.5	122.2				
5.6	5 21-7-2025	1021	Surface	24.2		745	94	7.7	28.6	28.2	2/ 07	0.0186	0.02	7.00	-7 2	110 5	1 80	<i>1</i> 5 <i>1</i> 7100	-79.88492	270 50
5.0	21-7-2025	1027		23.9	24	744.8	83	6.9				0.0191				130.6		43.47133	-73.00432	270.33
	21-7-2025	1033		23.4	2-1	744.8		6.5				0.0194				142.3				
	21-7-2025	1038		21		743.8		5.4		40.6		0.0296				38.5				
5.6	5 18-5-2025	1143	surface	16.2		741	92	8.8	25.4	21.2	39.33	0.0165	0.02			372.2	1.92	45.47199	-79.88487	272.85
	18-5-2025	1148	2	16.3	10	740.6	91	8.7	25.4	21.2	39.33	0.0165	0.02			372.2				
	18-5-2025	1151	4	15.5		740.5	90	8.8	25.7	21	38.95	0.0167	0.02			377.6				
1000		90000000		T. Carrier		langer see and	anna F	27,400,000	general con-	9002838660000	3337656			and the second		N and the second		1	English Committee W	
5.4	1 22-9-2024		surface			738.1			126.2	121.2								45.47206	-79.88478	276.55
	22-9-2024	1732		22.2		738.1			128.1	121.4		0.0832								
	22-9-2024	1735		20.7	4		85		132.8	122		0.0861								
	22-9-2024 22-9-2024	1738 1741		19.5 18.8		738.1 738.1		5.5	134.5 135	120.4 119.2		0.0875				159.4				
	22-9-2024	1741		18.2		738.1			158.4			0.1032				3.5				
	22-3-2024	1743		10.2		730.1	21	2.4	130.4	130.3	0.23	0.1032	0.00	0.70	0.2	3.3				
5.8	3 17-7-2024	1703	surface	25.9		736.1	99	7.8	38.7	39.4	25.8	0.0252	0.03	7.13	-20.6	136	1.38	45.47176	-79.88556	269.43
	17-7-2024	1707	1.4		14	736.1		7.6		39.7		0.0253								
	17-7-2024	1712	2.5	25.6		735.8	79	6.3	135.9	137.1	7.39	0.0889	0.07	6.86	-4.7	152				
	17-7-2024	1715	4	25.1		735.8	69	5.5	141.3	141.7	7.07	0.092	0.07	6.73	2.9	159.7				
	17-7-2024	1718	5.5	18.6		735.6	3	0.03	189.2	165.1	5.27	0.1232	0.09	6.66	6.5	-75.1				
(5 26-5-2024		surface			737	89	7.9				0.0251						45.47227	-79.8857	270.48
	26-5-2024	1231			12	737.5	88	7.9				0.025								
	26-5-2024	1235	4			737.2		8.4				0.0322								
	26-5-2024	1238	5.5	11.9		736.6	59	6.2	53.1	40.1	18.05	0.0353	0.03	0.57	10.7	112.0				
5	7 9-9-2023	1650	surface	23.5		741.3	94	7 9	116.1	113	8 62	0.0754	0.06	7 13		183.4	2 17	45 47169	-79.88567	271 72
	9-9-2023	1653		22.3		740.9	88	7.7				0.0755				186.7		13117203	75100507	2,21,2
	9-9-2023	1655		21.8		740.8		7.7				0.0753				188.4				
	9-9-2023	1656	C20 N. St.		19															
	9-9-2023	1657		21.6		740.9	82	7.2	115.6	108	8.65	0.0752	0.06	7.02		191.8				
	9-9-2023	1659				740.8	74		116.3		8.6	0.0755	0.06	6.82		198.5				
	9-9-2023	1703	5	20.1		740.9	45	4.1	123.6	112	8.11	0.0808	0.06	6.44		85.5				
																4		4=	70.05==	
5.5	25-07-2023				-		96	7.7	113.4	115.9	8.82	0.0737	0.06	7.42	-24.1	192.9	1.27	45.47161	-79.88557	271.92
	25-07-2023				8		00	7 1	112.0	112.2	0.07	0.0722	0.00	7 1	2.0	200.4				
	25-07-2023 25-07-2023			25.3 16.5		737.6 737.4			112.8 124.3	113.2 106		0.0733								
	25 07 2025	1007	,	10.5		737.4	3	0.5	124.5	100	0.11	0.0750	0.00	0.55	41.2	127				
5.8	29/5/2023	1446	surface	24.1		737	95	8	41	40.3	24.39	0.0267	0.03	7.11	-10.3	214.4	1.92	45.472384	-79.887073	
			1.92		18													2001	2.23,073	
		1451		14.5		735.6	82	8.4	197.9	158.6	5.04	0.1291	0.01	6.8	8.4	224.2				
5.6	28/8/2022	1033	surface	22.5	< 30		94.7	8.2				0.024	0.02	6.98		222.5				
		1032		22.34				7.17				0.024				162.7				
		1031		21.95				5.59				0.024				93				
		1030		21.84				4.23				0.024				-34.5				
		1029		21.57			60.4	6.03				0.031				-81.1				
		1027	эш	21.51	\ 3 U		4.8	0.54				0.036	0.02	0.03		-76.7				

T Jones Bay, LPP 13, Manitouwabing Lake

te D	Date	Time	Depth	Temp	Total Phos	Barr Pres I	00%	DO	SPC	C μS/cm	KΩcm	TDS g/L	Sal	рН	рН	ORP	secchi	Lat	Long	Alt
epth D)/M/Y	24 hr	(m)	°C	mcg/L MLCA	mm Hg		mg/L	μS/cm	conductivity	resistance	1)	ppT		mV	mV	m			
ATT STEE	23-9-2025		surface	THE THE SECOND		739.6	97	8.7	(77) (C. C. C.	1000000	((77)(7)(3)(7)(7)	A SOURCE OF STREET	10.00	0.000	(A-10) (A-10) (A-10)	112.4	0.000	45.45624	-79.89058	272.2
	23-9-2025	1645		18.7	2	739.6	83	7.6								149.4				
2	23-9-2025	1652	4	18		739.5	54	5	36.1	31.2	27.7	0.0235	0.02	6.58	10.6	145.1				
5.4 2	21-7-2025	941	surface	24		745	98	8.1	24.2	23.8	41.26	0.0158	0.02	7.06	-5.4	121.2	2.09	45.45641	-79.89056	270.1
	21-7-2025	947		23.9	14	744.8	88	7.3								134.3				
2	21-7-2025	952	4	20.4		744.7	0	0	26.2	23.8	38.39	0.017	0.02	6.29	39	33.1				
							-			T 02 2										
	8-5-2025		surface		10	739.7	91	8.7									2.06	45.45633	-79.89044	265.4
	18-5-2025	1108		15.9	10	739.4	89	8.6			44.71					384.3				
1	18-5-2025	1112	4	14.2		739.4	87	8.7	22.4	17.8	44.57	0.0146	0.02			395.5				
5.1 2	22-9-2024	1644	surface	22.8		737.1	100	8.2	125.9	120.7	7.94	0.0819	0.06	7.51	-41.5	163.3	1.95	45.45619	-79.89041	275.
2	22-9-2024	1648	1	22.4		737.2	97	8.1	127.1	120.9	7.87	0.0826	0.06	7.55	-43.9	158.8				
2	22-9-2024	1651	2	19.2	6	737.1	74	6.6	133.2	118.4	7.52	0.0863	0.07	6.79	0.3	164.5				
2	22-9-2024	1654	3	18.7		737.2	63	5.7	133.5	117.5	7.48	0.0869	0.07	6.73	3.8	167.7				
2	22-9-2024	1657	4	18.2		737.2	53	4.8	135.5	117.6	7.39	0.0879	0.07	6.6	11.6	174				
2	22-9-2024	1701	5	17.7		737.2	7	0.6	166.2	142.9	6.01	0.1084	0.08	6.96	-9.5	-57.2				
5 1	7-7-2024	1623	surface	25.6		735.2	92	7.1	34	34.3	29.47	0.0221	0.02	7.04	-14 5	154 5	1 23	45 456017	-79,890526	268
-	7-7-2024	1626		25.5	15	735.2	83	6.6	1 2500	20352		205/57	10000000			149.5		131 130017	73.030320	2001
	7-7-2024	1629		25.6		735.1	83	6.7	0.0000000000000000000000000000000000000		15/65/17/44/00/05/5					150.4				
	7-7-2024	1632		20.7		735	26	2.2												
	7-7-2024	1636		19.4		735.1	0		148.6		6.72									
F 4 0	4 5 2024	4544	0 (24.6		7064	00	7.0	2.4	22.4	44.00	0.0455	0.00	7.00	40.4	457.0	4.50	45 45600	70 00044	270
	21-5-2024		Surface			736.1	92	7.3			0.00		100 1000				1.52	45.45608	-79.89044	270
	21-5-2024	1551		20.2		735.6	91	8												
2	21-5-2024	1559	4.5	12.2		735.8	40	4.2	24.7	18.7	40.34	0.0162	0.02	6.33	30	182.1				
5 2	9-5-2023	1403	surface	20.9		737.2	98	8.8	27.6	25.4	36.29	0.0179	0.02	7.29	-21	175.6	1.46	45.456017	-79.890526	
2	9-5-2023			1.46	20															
2	9-5-2023	1415	4 m	16.8		734	82	7.8	151.9	128.5	6.58	0.0989	0.07	6.86	4.4	196.5				

U Stewart Park, Manitouwabing River

e Date	Time	Depth	Temp Tota	l Phos Cal	cium Barr Pres	DO % DO	O mg/L SP	С	C μS/cm	CΩcm	TDS g/L	Sal	рН	рН	ORP	secchi La	at	Long	Alt
pth D/M/Y	200 at 100				L MLCA mm Hg		- 8		conductivity			ррТ		mV	Extract.	m			
3.5 24-9-2025	1534	surface	19.8		739.7	91	8	39.5	35.4	25.33	0.0256	0.02	7.04	- <mark>15.8</mark>	113.4	1.3	45.45995	-79.85531	270.3
24-9-2025	1537	1	18.6	4	79.4 739.3	82	7.4	39.4	34.6	25.37	0.0256	0.02	6.92	-8.9	122.5				
24-9-2025	1540	2	18.2		739	64	5.9	39.1	34	25.57	0.0254	0.02	6.69	4.2	133.8				
24-9-2025	1544	3	18		738.7	53	4.8	39	33.8	25.61	0.0254	0.02	6.61	8.7	139.3				
5 18-7-2025	1452	surface	25.1		744.2	90	7.3	27.3	27.3	36.72	0.0177	0.02	6.88	5.9	124.9	1.03	45.45981	-79.85528	267.54
18-7-2025	1457	1	24.7	21	743.9	85	7	27.3	27.2	36.61	0.0178	0.02	6.86	6	126.1				
18-7-2025	1502	2	23.5		742.6	73	6.1	27.1	26.3	36.78	0.0177	0.02	6.73	14.1	133.8				
18-7-2025	1506	4	23.1		742.1	69	5.8	27.4	26.4	36.55	0.0181	0.02	6.69	16.3	138.9				
5.1 18-5-2025	1005	surface	17.5		737.6	80	7.6	23.7	20.1	42.25	0.0154	0.02			388.4	1.01	45.45999	-79.85535	267.37
18-5-2025	1011	2	16.9	18	4.33 737.3	79	7.4	23.4	19.8	42.81	0.0152	0.02			393.6				
18-5-2025	1015	4	14.5		737.3	75	7.4	23.9	19.2	41.91	0.0155	0.02			413.3				
5.7 22-9-2024	1542	surface	23.8		736.8	97	7.9	123.5	120.5	8.13	0.0803	0.06	6.98	-10.4	183.7	0.98	45.45986	-79.85541	275.3
22-9-2024	1547	1	21.2	10	4.17 736.5	69	5.9	130.2	120.1	7.69	0.0844	0.06	6.57	13.3	175.7				
22-9-2024	1550	2	19.3		736.4	46	4.1	131.8	117.3	7.6	0.0857	0.07	6.36	25.5	176.9				
22-9-2024	1553	3	18.4		736.3	37	3.4	133.2	116.6	7.49	0.0868	0.07	6.32	27.8	180.4				
22-9-2024	1556	4	17.6		736.3	24	2.2	135.2	115.8	7.41	0.0879	0.07	6.29	28.8	181.5				
22-9-2024	1600	5	17.2		736.2	15	1.4	136.1	115.9	7.35	0.0885	0.07	6.29	29.1	161.7				
4.4 17-7-2024	1521	surface	26.8		735.2	83	6.3	33.9	35	29.51	0.022	0.02	6.76	1.6	121.8	0.945	45.46007	-79.85544	271.03
17-7-2024	1529	0.9	25.1	22	734.1	68	5.3	34.4	34.6	29.04	0.0224	0.02	6.56	13.4	139.2				
17-7-2024	1534	2	24.7		733.4	55	4.4	34.9	34.7	28.65	0.0227	0.02	6.45	19.5	150.5				
17-7-2024	1537	3	24.5		732.6	51	4.1	126.9	125.7	7.87	0.0825	0.06	6.4	22.2	154.9				
17-7-2024	1541	4	24.1		732.4	42	3.4	135.2	132.7	7.38	0.0877	0.07	6.35	25.1	156.4				
4.4 26-5-2024	1118	surface	19.8		740.1	81	7.3	33.7	30.4	29.66	0.0219	0.02	6.88	-0.8	171.7	1.2	45.45997	-79.85541	274.57
26-5-2024	1123	1.2	19.6	18	4.34 740	77	6.9	33.6	30.1	29.78	0.0218	0.02	6.85	0.7	185.4				
26-5-2024	1126	2.5	19.5		739.8	72	6.4	33.7	30.1	29.68	0.0219	0.02	6.79	4.1	195.7				
26-5-2024	1132	4	16.8		739.4	40	3.7	34.3	28.8	29.18	0.0223	0.02	8.67	28.1	212.8				
4.8 9-9-2023	1550	surface	24.4		743.3	83	6.8	113	111.7	8.86	0.0733	0.06	6.92		157	1.41	45.45997	-79.8555	272.56
9-9-2023	1553	1 m	22		742.3	80	6.9	114.5	108.4	8.73	0.0747	0.06	6.86		163.7				
9-9-2023	1555	1.41	21.6	15	4.83 741.9	76	6.6	113.9	106.6	8.79	0.074	0.06	6.81		179.7				
9-9-2023	1559	2	21.4		741.5	75	6.6	113.3	105.5	8.82	0.0737	0.6	6.78		182.3				
9-9-2023	1602	3	20.9		741.6	69	6.1	113.3	104.5	8.83	0.0736	0.06	6.71		193.2				
9-9-2023	1604	4	19.9		741.2	36	3.4	114.9	103.9	8.69	0.0748	0.06	6.39		206.8				
4.9 25-7-2023	1714	surface	27.4		736.2	100	7.8	110.6	115.6	9.05	0.0718	0.06	7.38	-21.5	188.6	1.06	45.45996	-79.8556	269.14
25-7-2023	1720	1.06		10															
25-7-2023	1721	2	24.5		736.9	79	6.6	112	111.2	8.92	0.0729	0.06	7	1.5	205				
25-7-2023	1724	4	21.5		737.1	5	0.05	112.7	104.9	8.85	0.0745	0.06	6.31	41.6	117.9				
4 29-5-2023	1257	surface	21.9		733.8	95	8.4 27	.5	26	36.34	0.0179	0.02	7.04	-5.3	176.4	1.47	45.46008	-79.85604	
		1.47		14															
		3 m			734.1	75	7 30	.4	26.3	32.89	0.0197	0.02	6.73	12.6	199.5				
							M	s/c cm											
3 28-08-2022	1452	surface	22.5 < 30			2.1	1.99 0.	A PARTY NAMED IN COLUMN			0.023	0.02	6.81		-73.8				

V Robinson Bay, Manitouwabing Lake

te	Date	Time	Depth	Temp	Total Phos	Barr Pres	DO % I	DO mg/L SPC	(C μS/cm	KΩcm	TDS g/L	Sal	рН	рН	ORP	secchi	Lat	Long	Alt
pth	D/M/Y	24 h	m	°C	mcg/L MLCA	mm Hg	5.	μS/e	cm d	conductivity	resistance	n .	ррТ		mV	mV	m	*		
18	8 26-9-2025	1321	surface			740.7				39.8					-21.4	122.5				
	26-9-2025	1328	5	12.3	17	740.7	8	0.9	39.1	29.6	25.61	0.0248	0.02	6.1	3 35.6	149.2	1.9	45.50031	-79.88068	2
17.	7 16-7-2025		surface	27.2		733.1	106		29.3	30.6	34.1				9 -7.1	100.8	1.67	45.50011	-79.88054	26
	16-7-2025	1120		23.5		733.4	66		32.5	34.1	27.98				2 32.8	125.5				
	16-7-2025	1127		11.4		732.9	52		29.3	21.8	34.16				5 29.2	120.6				
	16-7-2025	1132				732.8	44		32.3	19.2	30.92				2 30.2	144.5				
	16-7-2025	1137	15	4.4	8	733.1	22	2.7	33.6	20.4	29.77	0.0218	0.02	6.3	3 35.1	131.7				
18.8	8 18-5-2025		surface	17.9		736.6	95		27.4	23.6						355.8	1.81	45.49993	-79.88071	2
	18-5-2025	1544		17.4		735.7	97		27.5	23.5						355.8				
	18-5-2025	1548				735.8	79		28.9	20						391.4				
	18-5-2025	1552				735.5	54		31.9	19.6						406.5				
	18-5-2025	1556	15	4.3		735.5	33	4.2	34.1	20.6	29.33	0.0219	0.02			413.6				
18.2	2 28-9-2024		surface	20.1		737.2			125.2	113.3							2.66	45.50002	-79.88099	2
	28-9-2024	1432		19.3		737.1			128.2	114.2										
	28-9-2024	1438	5	13.5		736.8	10	1 1	133.1	103.8	7.53	0.0859	0.06	6.2	1 33.7	7 181.5				
	28-9-2024	1442	9	7.5		736.8	38	4.4	175.3	114.6	5.81	0.1114	0.08	6.3	4 25.3	188				
	28-9-2024	1446	12	6.2		736.7	17	2 1	174.8	111.8	5.74	0.1129	0.08	6.1	33.9	202.2				
	28-9-2024	1450	15	5.6		736.8	2	0.2	180.9	114.6	5.49	0.1193	0.09	6.4	9 15.1	45.2				
	28-9-2024	1454	17	5.6		737.4	1	0.1 2	255.6	160.2	3.91	0.1661	0.12	7.0	7 -15.6	-92.5				
17.8	3 21-7-2024	1644	surface	26.1		740.9	94	7.5	37.1	37.7	26.98	0.0241	0.02	7.2	2 -25.7	7 151.9	1.8	45.50008	-79.88078	
	21-7-2024	1648	1.7	24.8	104	740.6	72	5.8	L40.4	139.8	7.13	0.0909	0.07	7.1	-23.2	148.4				
	21-7-2024	1653	4	15.5		740.1	. 24	2.4	157.3	129.1	6.37	0.1018	0.08	6.	3 27.3	1 176.2				
	21-7-2024	1656	8	9.1	•	739.6	43	4.8	170.3	118.1	5.9	0.1098	0.08	6.4	4 18.3	1 210.1				
	21-7-2024	1659	12	7.5		739.2	32	3.7	175.5	116.6	5.7	0.1136	0.08	6.3	5 22.8	225.7				
	21-7-2024	1702	16	6.7		738.5	5	0.5	140.1	286	2.26	0.2892	0.21	7.3	1 -30.3	1 -194.6				
19.1	1 31-5-2024	1157	surface	19.3		741.8	89	8.1	38.1	34	26.23	0.0248	0.02	7.0	-12.5	152.8	1.57	45.49989	-79.88079	2
	31-5-2024	1203	1.6	19.1	14	741.8	85	7.6	38.2	33.9	26.17	0.0248	0.02	7.0	3 11.2	163.5				
	31-5-2024	1207	5	9.3		741.2	70	7.9	77.5	54.1	12.96	0.0501	0.04	6.6	3 12.9	190.1				
	31-5-2024	1211	10	6.7		740.9	66	7.8	82.7	53.8	12.1	0.0536	0.04	6.5	7 15.7	7 206.2				
	31-5-2024	1215	15	5.4		741.1	. 32	4	85.6	53.4	11.7	0.0555	0.04	6.4	1 24.4	230.9				
	31-5-2024	1219	18	5.2		740.8	14	1.7	92.5	57.6	10.8	0.0602	0.04	6.5	2 18.9	64.1				