

THE CORPORATION OF THE TOWNSHIP OF MCKELLAR

invites

TENDERS

for delivery and application of
120 Tonnes LIQUID CALCIUM CHLORIDE
to various roads throughout the Township

Sealed Tenders, clearly marked "TENDER – PW-2023-04"

Sealed Tenders will be received by the undersigned until 1:00 p.m. on Thursday April 13, 2023

All tenders to be submitted on Tender Forms available from the Township Office.

Lowest or any Tender not necessarily accepted.

Greg Gostick, Director of Operations Township of McKellar P.O. Box 69, 701 Hwy 124 McKellar, ON POG 1C0 roads@mckellar.ca (705) 389-2891

Please Note:

Prior to submitting a Tender package, further information may be obtained by contacting Director of Operations, Greg Gostick at (705) 389-2891

TENDERING PROCEDURES

- 1. All inquiries concerning the tender prior to tender closing shall be directed to: Greg Gostick, Director of Operations at (705) 389-2891 or roads@mckellar.ca.
- Notification of Acceptance of Tender will be by written form of notice to the address of the Contractor used on the bid forms. The Date of Acceptance shall be deemed to be the date of receipt of the Acceptance Notice by the Contractor.
- 3. A tender may be voided by superseding it with a later tender or letter of withdrawal, prior to the closing date and time.

TENDERING REQUIREMENTS

- 1. The successful bidder shall deliver a certified copy of the Firm's Public Liability and Property Damage Insurance Policy for the works, within ten (10) calendar days of receiving the Acceptance Notice. Coverage shall be at least \$1,000,000 per accident. Failure to provide such proof may result in cancellation of the Contract. (Also see Form M-100 Subsections 106-1 and 106-2)
- 2. The successful bidder shall also deliver proof of Workplace Safety & Insurance Board coverage, within ten (10) calendar days of receiving the Acceptance Notice.
- 3. The successful bidder is considered to be the "constructor" as defined under the Health and Safety Act. Every employer and worker performing work must comply with this Act and regulations ensuring the health and safety of workers.

BASIS OF REJECTION OF TENDER

Tenders not conforming to the following requirements will be disqualified:

- 1. Tender must be legible, in ink, typewritten or by printer.
- 2. Tender must be in the possession of the Township of McKellar by the closing date and time.
- 3. Tender must be on Township form provided.
- 4. Tender must be signed and sealed by an authorized official of the bidding organization. A joint Tender must be signed and sealed by each Company.
 - Envelope must be clearly marked "TENDER PW-2023-04".
- 6. Error in tender nullifies same.

Form of Tender

Contractor:		
Address:		
Telephone:	Email:	
Contact Person:		
Description of Work: The contractor will be require Township of McKellar.	ed to deliver and apply 120 tonnes of Lic	quid Calcium throughout roads in the
120 tonnes Calcium Chlo	oride \$	Unit Cost/Tonne
Subtotal	\$	
H.S.T.	\$	
Less Discount	\$	
TOTAL CONTRACT PRIC	SE: \$	
and accepted the Provisions hereby offer to furnish all ma materials except as otherwis Provisions and Conditions he forms part of this contract.1/	and Conditions attached hereto, each a chinery, tools, labour, apparatus, plant a e stated in the contract, and to complete ereto attached for the unit price(s) show We hereby agree that the work specified	
By signing below, I acknowle abide by the terms and cond	edge that I have read and understand th itions contained here-in.	is Tender PW-2023-04 and I agree to
Authorized Signature:		
Name:	(Please Print or Type)	
Date:		
Witness:		

Date:

SPECIAL PROVISIONS:

1. The Contractor shall carry Liability Insurance in an amount of no less than \$1,000,000 to cover any possible claims by third parties. A copy of the policy shall be presented upon request to the Municipality. The policy must be continued in force for the duration of the work being performed.

INSURANCE CO: EXPIRY DATE:	
 Price quoted shall be per metric flake tonne minimum 35% calcium ch supplied and applied as per OPSS 506. 	ıloride,
For products containing less than 35%, please state the chloride percent by mass (minimum 18%). Total Effective Chloride percentage%.	
Give a comparison of 1 unit of 35% Calcium Chloride =u alternative product.	nits of
Attach a certified laboratory product Report.	

- 4. The work must be completed at a time agreeable to the Contractor and the Director of Operations.
- 5. The product shall be supplied and applied on various roads throughout the Township as designated by the Director of Operations at the unit price.
- 6. The vehicle supplied by the Contractor, for the application of the dust layer product, must be capable of accurately controlling the application rate of the product. The spray bar manifold must be capable of spraying over a variety of widths.
- 7. When applying the dust layer suppressant, all applicable Ministry of the Environment regulations shall be adhered to.
- 8. The quantity of dust layer suppressant is approximate only and may be increased or decreased by the Township without change to the unit price.